Freestanding letterbox STORM for 3 households – 3-compartment – RAL 7016 anthracite grey | RAL 7016 Anthracite grey, fine texture, matt | with 3 mailboxes (3x1)



Product number 480STQ-3W-7016

Product description

Freestanding STORM mailbox system for 3 households – premium multi-occupancy solution

The STORM freestanding mailbox system for 3 households combines a clear, modern design with very high material and manufacturing quality. The horizontal arrangement makes it easier to use and is particularly suitable for generous property entrances where a low-profile system is desired. The system is designed as a durable entrance solution for residential and commercial properties and is manufactured at the Briefkasten Manufaktur in Germany.

The mailboxes, the rain canopy and the side cladding are made from **high-quality galvanised steel** and are powder coated in **RAL 7016 Anthracite grey, fine-textured matt**. In contrast, the **40 × 40 mm support posts made of stainless steel V2A 1.4301, brushed** provide an intentionally high-quality material contrast. The combination of the finely textured anthracite surface and brushed stainless steel defines the quality character of the STORM series.

Each mailbox has a 35 × 340 mm insertion opening for DIN C4 mail in landscape format. Sound-dampening rubber buffers, a downward-opening retrieval door with an opening stop, a mail retention bar and two keys with key number per mailbox provide comfortable use. The mailboxes are manufactured in accordance with DIN EN 13724.

The advantages of the STORM freestanding mailbox system at a glance

Ideal for smaller apartment buildings

The wide STORM system offers three separate mailboxes at a common operating height. High-quality materials, mailboxes compliant with DIN EN 13724 and manufacture in Germany make it a representative solution for smaller apartment buildings, medical practices and high-quality commercial properties.

Very high material quality of the mailboxes

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

All 3 mailboxes as well as the rain canopy and side cladding are manufactured from galvanised steel. The powder coating in RAL 7016 Anthracite grey, fine-textured matt creates a high-quality, homogeneous surface and emphasises the system’s straight-lined architecture.

High-quality support posts of brushed stainless steel

The 40 × 40 mm support posts are made from stainless steel V2A 1.4301 and receive a brushed finish. The high-quality stainless steel forms the robust basis of the system and provides an intentionally elegant contrast to the anthracite mailbox surface.

DIN C4 insertion opening and comfortable mail retrieval

All mail compartments have a 35 × 340 mm insertion opening for DIN C4 envelopes in landscape format. Rubber buffers reduce impact noise; the opening stop and mail retention bar support comfortable retrieval.

Freestanding and flexible in planning

The wide system requires a level, sufficiently load-bearing foundation. The support posts must be aligned evenly and without tension. For bolted mounting, suitable anchor bolts must be selected separately to match the foundation and the local installation situation.

Equipment and high-quality materials

Mailboxes and finish

Number of mailboxes 3 individually lockable mailboxes
Arrangement 3 columns × 1 row
Mailbox material Galvanised steel
Mailbox finish RAL 7016 Anthracite grey, fine-textured matt, powder coated
Rain canopy and side cladding Galvanised steel, RAL 7016 Anthracite grey, fine-textured matt
Standard Mailboxes compliant with DIN EN 13724

Mail handling

Insertion opening 35 × 340 mm per mailbox, suitable for DIN C4 in landscape format
Insertion flaps With high-quality, sound-dampening rubber buffers
Mail retrieval From the front, door opens downwards with opening stop
Mail retention bar Integrated in each mailbox
Keys 6 keys in total, 2 per mailbox, with key number
Name plates 3 protected interchangeable name plates beneath the insertion flaps

Support posts and mounting

Support post material Stainless steel V2A 1.4301
Cross-section 40 × 40 mm
Support post finish Brushed stainless steel
Mounting options Either for in-ground concrete installation or for bolted mounting
Anchor bolts For bolted mounting not included; to be selected separately to suit the foundation
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Installation by concreting in

The stainless-steel support posts must be anchored plumb in a suitably dimensioned foundation. Foundation size and design must be matched to the ground conditions, the weight of the system and local loads.

Bolted mounting onto a foundation

Bolted mounting requires a flat, load-bearing foundation. The required anchor bolts are not included and must be selected separately to suit the existing foundation design.

Note on weather protection

For optimal protection, mail items must be fully inserted so that the insertion flaps can close completely. A sheltered location will additionally reduce direct exposure to the elements.

Product properties

Material	Steel, galvanised
Series	STORM
Boxes by volume	Normal > 10 litres
Mounting type	Free-standing
House number	House number as laser engraving
Surface/colour	RAL 7016 anthracite grey
Name labelling	Laser-engraved
Removal of mail	On the front
Number of boxes	with 3 letterboxes

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	330.0
Width of single box in mm	370.0
Capacity in litres	12.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	340.0
Height of letterbox in mm	331.5
Width of letterbox system in mm	1112.0 | 1123.0
Overall height in mm	1200.0 | 1500.0 + 30.0
Total width in mm	1112.0 | 1123.0
Depth in mm	100.0 + 40.0
Weight in kg	26
Delivery condition	Mounting kit for self-installation

Dimension drawing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618