7-unit surface-mounted mailbox system Design BASIC 385A-7016 AP - RAL 7016 anthracite grey | RAL 7016 Anthracite grey, fine texture, matt | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | with 7 mailboxes



Product number 385A-7016-7S

Product description

Slim surface-mounted mailbox system BASIC 385A for 7 households – RAL 7016 Anthracite grey

The BASIC 385A surface-mounted mailbox system for 7 households is a robust wall solution for multi-family homes, residential complexes and commercially used properties. The vertically arranged S-configuration reduces horizontal space requirements and uses the available wall height particularly efficiently.

The mailboxes are made from galvanised steel and are powder-coated in RAL 7016 Anthracite grey with a fine-textured matt finish. The close-fitting cladding with rain hood unites the individual compartments into a closed, modern surface-mounted system.

Each mailbox measures 300 × 110 × 385 mm (W × H × D) and offers approx. 12 litres of volume. The 35 × 265 mm insertion opening is designed for DIN C4 items in portrait format. The doors open from left to right; each mailbox is supplied with two keys bearing a key number and a changeable nameplate located under the insertion flap.

The advantages of the BASIC 385A surface-mounted system at a glance

Rain hood and side cladding

The rain hood and side panels combine the individual compartments into a closed surface-mounted system. The coordinated cladding provides a calm front and a neat finish against the façade.

DIN C4 insertion and 12-litre volume

The 300 × 110 × 385 mm (W × H × D) compartments each offer approx. 12 litres of volume. The 35 × 265 mm insertion opening accepts larger DIN C4 items in portrait format.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure allocation

The rubber lip damps the insertion flap. Robust locks, two keys with key number and protected changeable nameplates ensure clear allocation of the individual mailboxes.

Mounting rail for wall installation

The surface-mounted system is designed for direct façade installation. A mounting rail simplifies installation; fixing materials with screws and wall plugs are included in the described configuration.

Robust finish in RAL 7016

The anthracite grey fine-textured surface gives the system a modern appearance and protects the galvanised steel for daily use on the building. The system is manufactured in Germany by Briefkasten Manufaktur Lippe.

Equipment of the BASIC 385A mailbox system

Mailbox system

Number of mailboxes 7 individually lockable compartments
Single compartment 300 × 110 × 385 mm (W × H × D)
Volume Approx. 12 litres per mailbox
Material Galvanised steel, powder-coated in RAL 7016 Anthracite grey fine-textured matt
Finish RAL 7016 Anthracite grey fine-textured matt
Standard DIN EN 13724

Mail and operation

Insertion opening 35 × 265 mm, suitable for DIN C4 portrait
Insertion flaps With noise-damping rubber lip
Mail removal From the front
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Changeable nameplate below the insertion flap

Cladding and wall mounting

Side cladding Close-fitting design
Rain hood Robust, matching design
Mounting type Surface-mounted wall installation
Mounting aid Mounting rail
Fixing material Screws and wall plugs included; check suitability for the local wall construction
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall mounting

The wall must be level and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall construction; for other substrates or external thermal insulation composite systems (ETICS), appropriate fixing solutions must be specified on site.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on weather protection

Mail is best protected from moisture and dirt only when items are fully inserted and the insertion flap is closed. Protruding letters or magazines may prevent the flap from closing completely.

Product properties

Material	Steel, galvanised
Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Number of boxes	with 7 letterboxes
Surface/colour	RAL 7016 anthracite grey
Removal of mail	On the front
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	770.0
Width of letterbox system in mm	300.0
Total width in mm	308.0
Depth in mm	435.0
Weight in kg	40
Delivery condition	Delivered fully assembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618