Designer freestanding letterbox GOETHE LIB with bell box & newspaper compartment - LED design element - RAL colour of your choice



Product number 215-LIB-1-SP-ZF

Product description

Design freestanding letterbox GOETHE® LIB with bell module & newspaper compartment - LED design element - RAL colour of your choice

High-quality manufactured freestanding letterbox with newspaper compartment, bell module for intercom unit and elegant stainless steel rectangular tube stand including LED design element. The modern GOETHE® letterbox is ideal for a sophisticated entrance area. The linear design without a visible lock gives this letterbox an especially elegant appearance.

The dimensions of the single box provide a capacity of approx. 16 litres; the large slot ensures that DIN C4 envelopes and magazines — or post after several days' absence — do not arrive creased. The innovative Push-Key lock is concealed inside the letterbox. The key is simply inserted into the existing opening (no turning required) and the door opens. The position of the lock is designed so that the collection door prevents your post from falling out. Thanks to the water drainage edge, the internal post is optimally protected from the weather. The insertion flap is fitted with high-quality hinge dampers, guaranteeing quiet closing and preventing annoying rattling from weather influences.

The letterbox systems of the GOETHE® collection are characterised by the consistent use of stainless steel. The result is very high durability and sustainability. The construction has been developed by our own engineers with a focus on high flexibility and modularity, simple spare-part assembly and straightforward self-installation. Spare parts for all GOETHE® systems are available directly in our shop.

Thanks to the construction method, self-assembly is uncomplicated.

Utility model protected according to DPMA file number DE: 20 2021 101 679.5

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- Freestanding letterbox with rectangular tube stand element and stainless steel letterbox.
- Quality manufacturing - Made in Germany by Briefkasten Manufaktur Lippe.
- Flat LED lighting unit as a design element. LED 3000 K 395 x 100 mm x 5 mm, IP65, 2-metre supply cable, 24 volt, 10 watt, satin-finished acrylic glass edges incl. LED power supply unit.
- Letterbox (BH 400x400mm) made of stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in RAL colour of your choice.
- Innovative Push-Key lock with 2 keys.
- Letters are inserted and removed from the front. Insertion flap with high-quality hinge dampers for very quiet posting of mail.
- The letterbox complies with DIN/EN 13724. Insertion size (3.5 cm x 36.0 cm) for C4 horizontally; large letters fit in here without bending.
- Collection door opens from top to bottom, so the post cannot fall out.
- Optional house number labelling approx. 70–80 mm high.
- Newspaper compartment (BH 400x200mm) made of stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in RAL colour of your choice with stainless steel laser engraving "NEWSPAPER" (font ARIAL; if name/house number, then in your chosen font).
- Newspaper compartment opens from bottom to top.
- Function box (BH 400x200mm) made of stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in RAL colour of your choice.
- Optionally interchangeable nameplate in stainless steel with laser engraving, Plexiglas nameplate or illuminated labelling.
- 8–12 V DC short-stroke doorbell push-button with LED ring illumination (blue, white, red or green). The illumination of the doorbell push-buttons cannot be supplied by the control unit. It must be connected to an additional power supply.
- Optionally, an 8–12 V DC short-stroke illuminated push-button with pictogram is available.
- Preparation (built-in speaker not included) for intercom system possible. Optional with universal adapter for all commercially available built-in speakers.
- Optimal protection against rain through drip edges.
- The support post consists of 2 mm stainless steel rectangular tube, powder-coated in RAL colour with 6 mm base plate for screw mounting.

Important information:

Camera or intercom preparation

We always recommend that electrical installation be carried out by a qualified electrician.

We offer preparation for cameras and intercom units from various manufacturers for our letterboxes. The preparation does not include end devices; it comprises the provision of mounting brackets, drillings and cut-outs so that you can mount your device without difficulty.

Water protection

To achieve optimal water protection for your post, the letterbox or letterbox system should, where possible, be situated under an overhang.

Postal items are only protected from water if they are completely placed inside the box and the insertion flap is closed. Partially inserted post permits the ingress of moisture and dirt into the letterbox. This system is protected against water ingress according to DIN EN 13724. Water ingress is not a reason for complaint.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GOETHE
Number of bell push buttons	1 button
Functions	Newspaper compartment, Light button, Camera, Intercom, Fingerprint, Keypad
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, HHG, HIKVISION, PCS, Sesam, ekey
Illuminants	LED, 10 Watt
Name labelling	Laser-cut engraving, Nameplate, Laser-engraved , Illuminated laser-cut engraving
Mounting type	Free-standing
Material	Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
House number	House number as laser engraving
Removal of mail	On the front
Number of boxes	with 1 letterbox
Boxes by volume	Large > 16 litres

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	400,0
Width of single box in mm	400,0
Capacity in litres	16
Height of letterbox slot in mm	35,0
Width of letter slot in mm	360,0
Height of letterbox in mm	800,0
Width of letterbox system in mm	400,0
Overall height in mm	1300,0
Total width in mm	440,0
Depth in mm	100,0
Weight in kg	26
Delivery condition	Delivery is assembled

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618