# 13-unit 7x2 Surface-mounted Mailbox System Design BASIC 385A AP - Stainless Steel, RAL 7016 Anthracite | with 13 mailboxes (2x7) | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | BI-Color brushed stainless steel | RAL 7016 anthracite grey



**Product number** 385A-7016VA-13W

## Product description

## Wide Surface-Mounted Mailbox System BASIC 385A for 13 Tenants – BI-Color RAL 7016 / Stainless Steel

The BASIC 385A surface-mounted mailbox system for 13 tenants is a robust wall solution for larger apartment buildings, residential complexes and commercial properties. The wider W-configuration distributes the mailboxes across a multi-column front and keeps the overall system proportionally lower and clearer.

The BI-Color version combines anthracite grey powder-coated mailbox bodies with brushed stainless steel V2A elements. The material contrast gives the BASIC system a high-quality, modern appearance.

Each mailbox measures 300 × 110 × 385 mm (W × H × D) and offers approx. 12 litres of volume. The 35 × 265 mm mail slot is designed for DIN C4 items in portrait format. The doors open from left to right; each mailbox is supplied with two keys with key number and a changeable nameplate beneath the mail flap.

## Advantages of the BASIC 385A surface-mounted system at a glance

### Rain hood and side cladding

A rain hood and side panels join the individual mailboxes into a closed surface-mounted system. The coordinated cladding provides a calm front and a neat finish at the façade.

### DIN C4 mail slot and 12 litres volume

The mailboxes measuring 300 × 110 × 385 mm (W × H × D) each provide approx. 12 litres of volume. The 35 × 265 mm mail slot also accepts larger DIN C4 items in portrait format.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

### Quiet mail insertion and secure allocation

The rubber lip damps the mail flap. Robust locks, two keys with key number and protected interchangeable nameplates ensure clear assignment of the individual mailboxes.

### Mounting rail for wall installation

The surface-mounted system is designed for direct façade mounting. A mounting rail facilitates installation; fixings including screws and wall plugs are included in the described configuration.

### BI-Color in anthracite and stainless steel

RAL 7016 Anthracite grey fine-structure matt is combined with brushed stainless steel accents to create a striking material contrast. The system is manufactured in Germany by Briefkasten Manufaktur.

## Equipment of the BASIC 385A mailbox system

### Mailbox system

**Number of mailboxes** 13 individually lockable mail compartments
**Single compartment** 300 × 110 × 385 mm (W × H × D)
**Volume** Approx. 12 litres per mailbox
**Material** BI-Color: galvanised steel in RAL 7016 with stainless steel V2A accents
**Finish** RAL 7016 Anthracite grey fine-structure matt / brushed stainless steel V2A
**Standard** DIN EN 13724

### Mail and operation

**Mail slot** 35 × 265 mm, suitable for DIN C4 portrait
**Mail flaps** With noise-damping rubber lip
**Mail retrieval** From the front
**Door opening** From left to right
**Keys** 2 keys with key number per mailbox
**Nameplate** Interchangeable nameplate beneath the mail flap

### Cladding and wall mounting

**Side cladding** Close-fitting design
**Rain hood** Solid, matching design
**Type of installation** Surface-mounted wall installation
**Installation aid** Mounting rail
**Fixings** Screws and wall plugs included; suitability for the on-site wall construction should be checked
**Manufacture** Made in Germany by Briefkasten Manufaktur Lippe

#### Note on wall installation

The wall must be even and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall construction; for other substrates or external thermal insulation systems, appropriate fixing solutions must be determined on site.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

**Note on weather protection**

Mail is best protected from moisture and dirt only when items are fully inserted and the mail flap is closed. Protruding letters or magazines can prevent the flap from closing completely.

## Product properties

| | |
|---|---|
| **Material** | Steel, galvanised, Stainless steel V2A 1.4301 |
| **Series** | BASIC |
| **Boxes by volume** | Normal > 10 litres |
| **Name labelling** | Nameplate |
| **Surface/colour** | RAL 7016 anthracite grey, Brushed |
| **Removal of mail** | On the front |
| **Mounting type** | Surface-mounted |
| **Number of boxes** | with 13 letterboxes |

## Dimensions

| | |
|---|---|
| **Height of single box in mm** | 110.0 |
| **Width of single box in mm** | 300.0 |
| **Capacity in litres** | 12 |
| **Height of letterbox slot in mm** | 35.0 |
| **Width of letter slot in mm** | 265.0 |
| **Height of letterbox in mm** | 770.0 |
| **Width of letterbox system in mm** | 600.0 |
| **Total width in mm** | 465.0 |
| **Depth in mm** | 435.0 |
| **Weight in kg** | 75 |
| **Delivery condition** | Delivered partially assembled. |

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

# More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618








Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618