
11er Design flush-mounted mailbox GOETHE UP - RAL colour of your choice - DoorBird video intercom left | Left | without newspaper compartment | 100mm depth | DoorBird | with 11 mailboxes



Product number 215-UP-11-SP-DB-100-L

Product description

11-unit GOETHE UP recessed design mailbox - RAL colour of your choice - DoorBird video intercom left

High-quality 11-unit recessed mailbox with a seamlessly integrated DoorBird IP video door station D2100E in a flush-mounted design. The DoorBird IP video door station D2100E is the smart solution for your entrance door. The IP video door station can be operated as a standalone unit or integrated into an existing smart home platform. Existing conventional installations such as a door chime or an electric door and gate opener can also continue to be used with DoorBird and be controlled via the app.

The dimensions of the individual box provide a capacity of approx. 16 or 32 litres; the large slot ensures that DIN-C4 envelopes and magazines, or post after several days' absence, do not arrive creased. The innovative push-key lock is invisibly concealed inside the mailbox. The key is simply inserted into the existing opening (no turning required) and the door opens. With the arrangement of the lock, this mailbox is designed so that the retrieval door prevents your post from falling out towards you. Thanks to the water-drain edge, the mail inside is optimally protected from the weather. The insertion flap is fitted with high-quality axle dampers, ensuring quiet closing and preventing annoying rattling caused by weather.

The mailbox systems of the GOETHE collection are characterised by the consistent use of stainless steel. The result is very high durability and sustainability. The construction has been developed by our own engineers with a view to high flexibility and modularity, easy spare part installation and straightforward self-assembly. Spare parts for all GOETHE systems are available directly in our shop.

Thanks to the design, self-assembly is straightforward.

Protected utility model according to DPMA file reference DE: 20 2021 101 679.5

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- 11-way recessed mailbox completely made of stainless steel.
- Quality manufacture - Made in Germany by Briefkasten Manufaktur Lippe.
- Mailbox (BH 400x400mm) made of stainless steel 1.4016 (corrosion-resistant magnetic stainless steel), powder-coated in RAL colour of your choice.
- Innovative push-key lock with 2 keys.
- Mail insertion and retrieval are from the front. Insertion flap with high-quality axle dampers for very quiet mail drop.
- The mailbox complies with DIN/EN 13724. Insertion size (3.5 cm x 36.0 cm) for C4 horizontally, so large letters fit in without creasing.
- Retrieval doors open from top to bottom. This prevents your post from falling out towards you.
- Plexiglas nameplate for name labelling and a second nameplate Advertising Yes/No per unit.
- Functional box (BH 400x400mm) made of stainless steel 1.4016 (corrosion-resistant magnetic stainless steel), powder-coated in RAL colour of your choice.
- Optional house number with energy-saving LED illumination approx. 70–100 mm high possible (depending on the number of characters).
- Plaster cover frame made from 2 mm stainless steel angle profile 25 x 58 mm, powder-coated in RAL colour.
- Incl. DoorBird IP video door station D2100E + multi-tenant module MTM18A with illuminated call buttons or IP video door station D3100E with 7-inch display.

Important information

Camera or intercom provision

The intercom systems must be connected by a qualified electrician. For planning, installation and commissioning, please contact the electrician of your choice.

Water protection

To achieve optimal water protection for your post, the mailbox or mailbox system should, where possible, be located under a canopy.

Mail items are only protected from water if they are placed completely inside the box and the insertion flap is closed. Partially inserted post allows moisture and dirt to enter the mailbox. This system is protected against water ingress according to DIN EN 13724. Water ingress is not a reason for complaint.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GOETHE
Connection technology	LAN
Number of bell push buttons	11 buttons
Functions	Camera, Intercom, Fingerprint, Keypad
Functional box prepared for manufacturer	DoorBird
Material	Aluminium AlMg3 W19, Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
House number	House number as laser engraving
Name labelling	Laser-engraved
Removal of mail	On the front
Number of boxes	with 11 letterboxes
Boxes by volume	Large > 16 litres
Mounting type	Flush-mounted

Dimensions


Height of single box in mm	400,0
Width of single box in mm	400,0
Capacity in litres	16,0
Height of letterbox slot in mm	35,0
Width of letter slot in mm	360,0
Height of letterbox in mm	External dimension 854.0 | installation dimension 820.0
Width of letterbox system in mm	External dimension 2452.0 | installation dimension 2420.0
Overall height in mm	recommended 1500.0 - 1700.0
Total width in mm	External dimension 2452.0 | installation dimension 2420.0
Depth in mm	100.0 | installation dimension 103.5
Weight in kg	25
Delivery condition	Delivery is assembled


Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110


Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618