Designer through-slot mailbox GOETHE MDW - RAL colour of your choice | 300-390mm depth

Product number 215-MDW-1IND-390



Product description

Designer through-wall letterbox GOETHE MDW - RAL colour of your choice

The modern through-wall letterbox GOETHE is ideal for a high-quality entrance area. Its linear design gives the letterbox an especially elegant appearance. With a variable chute length between 300 mm and 390 mm or 390 mm and 560 mm, this letterbox can be installed in almost any masonry.

The dimensions of the individual boxes provide a capacity of approx. 24–44 litres; the large inlet ensures that DIN C4 envelopes and magazines remain uncreased, even after several days of absence. The water-drip edge provides optimal protection for the internal contents against the weather. The inlet flap is fitted with high-quality axle dampers, ensuring quiet closing and preventing annoying rattling caused by weather influences.

The GOETHE collection letterbox systems are distinguished by the consistent use of stainless steel. The result is very high durability and sustainability. The construction has been developed by our own engineers with a view to high flexibility and modularity, easy replacement part installation and straightforward self-installation. Spare parts for all GOETHE systems are available directly in our shop.

Thanks to the design, self-installation is uncomplicated.

Protected utility model according to DPMA file number DE: 20 2021 101 679.5

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- High-quality through-wall letterbox completely made of stainless steel.
- Chute made of stainless steel 1.4016 (corrosion-resistant magnetic stainless steel), bare.
- Body made of stainless steel 1.4016 (corrosion-resistant magnetic stainless steel), powder-coated in RAL colour of your choice.
- Quality manufacturing - Made in Germany by Briefkasten Manufaktur Lippe.
- The letterbox complies with DIN/EN 13724. Inlet size (3.5 cm x 36.0 cm) for C4 landscape; large letters fit without bending.
- Letter inlet & retrieval door made of stainless steel V2A 1.4301, powder-coated in RAL colour of your choice.
- Mail is inserted and retrieved from the front. Inlet flap with high-quality axle dampers for very quiet posting of mail.
- Retrieval door opens from top to bottom, preventing your mail from falling out towards you.
- Optional name inscription approx. 15–20 mm high.
- Optional house number inscription approx. 70–80 mm high.
- Plaster cover frame made from stainless steel angle profile 25 x 58 mm, powder-coated in RAL colour.
- Variable chute length 300–390 mm or 390–560 mm. External dimensions of letter chute shaft W 380 mm x H 180 mm.
- External dimensions front and rear W 450 mm x H 250 mm.

Important information:

To achieve optimal protection of your mail from water, the letterbox or letterbox system should, where possible, be located beneath a canopy.

Mail is only protected from water when it is placed entirely inside the box and the inlet flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the letterbox. This system is protected against water ingress according to DIN EN 13724. Water ingress is not grounds for a complaint.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GOETHE
Material	Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
House number	House number as laser engraving
Name labelling	Laser-engraved
Number of boxes	with 1 letterbox
Boxes by volume	Large > 16 litres
Mounting type	Wall throw-through
Removal of mail	On the back

Dimensions


Height of single box in mm	200,0
Width of single box in mm	400,0
Capacity in litres	24,0 - 32,0 | 32,0 - 44,0
Height of letterbox slot in mm	35,0
Width of letter slot in mm	360,0
Total width in mm	450,0
Depth in mm	300,0 - 390,0 | 390,0 - 560,0
Weight in kg	16
Delivery condition	Supplied partially disassembled

Dimension drawing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618