6-unit 3x2 Surface-mounted mailbox system Design BASIC 385A- VA AP - Stainless steel V2A, brushed | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | Stainless steel, brushed | with 6 letterboxes (2x3)



Product number 385A-VA-6W

Product description

Wide surface-mounted mailbox system BASIC 385A for 6 households – Brushed stainless steel V2A

The BASIC 385A surface-mounted mailbox system for 6 households is a robust wall-mounted solution for multi-family houses, smaller residential complexes as well as office and medical practice properties. The wider W version distributes the mailboxes across a multi-column front and keeps the overall unit lower and tidy.

The mailbox system is made from high-quality stainless steel V2A in a brushed finish. Mailboxes, cladding and rain hood form a timeless, low-maintenance and robust stainless steel unit.

Each compartment measures 300 × 110 × 385 mm (W × H × D) and offers approx. 12 litres capacity. The 35 × 265 mm mail slot is designed for DIN C4 items in portrait orientation. The doors open from left to right; each mailbox is supplied with two keys with key number and a changeable nameplate located under the mail flap.

The advantages of the BASIC 385A surface-mounted system at a glance

Rain hood and side cladding

Rain hood and side panels combine the individual compartments into a closed surface-mounted unit. The coordinated cladding provides a calm front and a clean finish at the façade.

DIN C4 slot and 12-litre capacity

The 300 × 110 × 385 mm (W × H × D) mailboxes each offer approx. 12 litres capacity. The 35 × 265 mm slot also accepts larger DIN C4 items in portrait format.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure allocation

The rubber lip damps the mail flap. Robust locks, two keys with key number and protected changeable nameplates ensure clear assignment of the individual mailboxes.

Mounting rail for wall installation

The surface-mounted system is designed for direct façade mounting. A mounting rail facilitates installation; fixings with screws and wall plugs are included in the described configuration.

Completely in brushed stainless steel

The V2A version combines a high-quality metal surface with a robust construction for durable surface-mounted mailbox systems. The unit is manufactured in Germany by Briefkasten Manufaktur.

Equipment of the BASIC 385A mailbox system

Mailbox system

Number of mailboxes 6 individually lockable compartments
Single compartment 300 × 110 × 385 mm (W × H × D)
Capacity Approx. 12 litres per mailbox
Material Stainless steel V2A 1.4301, brushed
Finish Stainless steel V2A 1.4301, brushed
Standard DIN EN 13724

Mail and operation

Mail slot 35 × 265 mm, suitable for DIN C4 portrait
Mail flaps With noise-damping rubber lip
Mail retrieval Front access
Door opening Opens from left to right
Keys 2 keys with key number per mailbox
Nameplate Changeable nameplate below the mail flap

Cladding and wall mounting

Side cladding Close-fitting design
Rain hood Robust design matching the system
Installation type Surface-mounted wall installation
Installation aid Mounting rail
Fixings Screws and wall plugs included; suitability for the local wall construction must be checked on site
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall mounting

The wall must be even and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall construction; for other substrates or external insulation systems, suitable fixing solutions must be specified on site.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on weather protection

Mail is best protected against moisture and dirt only when items are fully inserted and the mail flap is closed. Protruding letters or magazines may prevent the flap from closing completely.

Product properties

Series	BASIC
Number of boxes	with 6 letterboxes
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Surface/colour	Brushed
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	330.0
Width of letterbox system in mm	600.0
Total width in mm	608.0
Depth in mm	435.0
Weight in kg	35
Delivery condition	Delivered partially disassembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618