5-unit stainless steel mailbox system Design BASIC Plus 385XW for side wall mounting - RAL colour of your choice | Right | with 5 mailboxes



Product number 385XW-5S-R

Product description

Side-mounted BASIC Plus 385XW mailbox system for 5 households – box position right

The BASIC Plus 385XW is a high-quality stainless steel mailbox system for side wall mounting for 5 households. It was developed for multi-family houses and properties with five separate households and allows space-saving installation to the side of the front door or on a suitable wall surface.

The vertical multi-tenant system concentrates five mailboxes on a narrow side mounting area, resulting in a particularly compact appearance.

The mailboxes are made of stainless steel V2A 1.4301 and are powder-coated in an RAL or DB colour of your choice. The rain hood and side cladding are also made of stainless steel. The side attachment is via 60.3 mm stainless steel columns with a 240-grit finish.

In this item variant the box position is on the right. The side arrangement creates a clear mounting edge and allows the mailbox system to be aligned to the entrance situation of the building.

The advantages of the BASIC Plus 385XW at a glance

Massive stainless steel mounting columns

The side wall attachment is via Ø 60.3 mm columns made of stainless steel V2A 1.4301 with a 240-grit finish. They provide a stable and durable connection between the mailbox system and the building wall.

Side wall mounting

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The 385XW is mounted to the side of a suitable house wall. The box position for this variant is on the right; this allows the system to be tailored to the existing entrance situation.

BASIC Plus in stainless steel V2A

Mailboxes, cladding and fastening elements consistently use stainless steel V2A 1.4301. The powder-coated mailboxes combine a high-quality surface with a long-lasting construction.

DIN-C4 inlet with rubber lip

Each compartment has a 35 × 265 mm inlet opening for DIN C4 portrait. A noise-damping rubber lip reduces impact noise from the inlet flap.

Robust solution for 5 households

Five households are brought together in a slim BASIC Plus system made of durable stainless steel V2A. The modular BASIC Plus construction also simplifies maintenance and spare-part installation.

Equipment of the BASIC Plus 385XW for 5 households

Mailbox system

Number of compartments 5 mailboxes
Arrangement 1 column × 5 rows
Material Stainless steel V2A 1.4301
Surface Powder-coated in RAL/DB colour of choice
Rain hood / side cladding Stainless steel V2A 1.4301, powder-coated in matching colour
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Mail and operation

Inlet opening 35 × 265 mm per mailbox, suitable for DIN C4 (portrait)
Mail volume Approx. 12 litres per mailbox
Inlet flaps With noise-damping rubber lip
Mail retrieval From the front
Door opening From left to right
Keys 10 keys in total, 2 per mailbox
Nameplates 5 interchangeable nameplates beneath the letter flaps

Side attachment

Box position Right
Mounting columns Ø 60.3 mm stainless steel V2A 1.4301
Column surface 240-grit brushed finish
Mounting method Screw-mounted to a suitable house wall
Fixings Choose anchor bolts or coach screws on site to suit the wall
Standard Mailboxes conforming to DIN EN 13724

Note on side wall mounting

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The wall must be clean, even and sufficiently load-bearing for the weight of the complete mailbox system. Anchor bolts or threaded rods are not included and must be selected to suit the wall construction, system weight and local mounting situation.

Note on weather protection

Mail items must be fully inserted so that the inlet flaps can close. The inlet front should preferably not be directly exposed to the prevailing weather. In extreme weather conditions, moisture may penetrate despite compliant construction.

Care and BASIC Plus construction

Stainless steel V2A is low-maintenance and durable. The modular BASIC Plus construction has been designed for straightforward installation and good spare-part availability.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
House number	House number as laser engraving
Removal of mail	On the front
Number of boxes	with 5 letterboxes
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height in mm	710
Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	550.0
Width of letterbox system in mm	300.0
Total width in mm	400.0
Depth in mm	435.0
Weight in kg	33
Delivery condition	Delivery is made in blocks, freestanding units / mailbox supplied split.


Dimension drawing


Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618