Design flush-mounted letterbox GRIMM - polished stainless steel with preparation for camera and intercom system left | Left | Individualised preparation | Stainless steel, brushed | Flush-mounted



Product number 562-UP-SPL-1-VA-IND

Product description

Design Mailbox GRIMM® – A Masterpiece of Mailbox Manufacturing

The Design Recessed Mailbox GRIMM combines modern design with first-class craftsmanship – ideal for discerning builders and architects seeking an elegant solution for the integration of camera and built-in speaker. Manufactured from high-quality stainless steel and fully “Made in Germany” by the Mailbox Manufacturer Lippe, this model stands for durability, functionality, and stylish appearance. The polished front panel made of 2 mm stainless steel V2A (1.4301) impresses with a timeless appearance and high corrosion resistance.

 Compatible with leading manufacturers: LOXONE, Siedle, Busch-Jaeger, Gira, TCS, Legrand BTicino, Ritto, STR Elektronik, ELCOM, HHG, Comelit, Mobotix, HIKVISION, and many others available upon request.

The **preparation for a camera** (not included) provides a secure foundation for modern video surveillance directly at the entrance. A **preparation for built-in speakers** is also possible – optionally with suitable universal adapters for various intercoms. This allows the mailbox to be perfectly adapted to your existing technology.

The mailbox GRIMM® is not only a visual highlight but also excels in functionality and quality. Thanks to the innovative push-key lock, the mailbox can be easily and comfortably operated with one hand. Open the door with a press and close the door without the use of a key. The lock is optimally protected against weather influences. Additionally, the mailbox features an intelligent retrieval system: the door opens from top to bottom, ensuring that the mail remains secure in the box and cannot fall out towards you. The mail can also be comfortably inserted from the front, with high-quality axle dampers ensuring a gentle closing of the mail flap. What makes the GRIMM particularly unique is the double box system: the installation box can be installed during the shell construction phase while the front panel is only mounted after the construction work is completed – for maximum flexibility in the future and protection against dirt and dust during the construction phase. The insertion box is made from stainless steel 1.4016 and features pre-stamped cable entries on all sides to allow for easy electrical installation.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Thanks to the DIN/EN 13724 standard, the GRIMM is ideally suited for large letters in C4 format that can be inserted without creasing. The mailbox GRIMM® impresses with its durable quality, timeless design, and thoughtful functionality.

- High-quality mailbox completely made of stainless steel for recessed mounting.
- Front panel made of 2 mm stainless steel V2A 1.4301, polished.
- Quality manufacturing – Made in Germany by Mailbox Manufacturer Lippe.
- Preparation (built-in speaker not included) for intercom system possible. Optionally with universal adapters for all standard built-in speakers.
- Optional preparation (camera not included) for a camera.
- House number approximately 70mm high (max. 3 digits) with energy-saving LED lighting 12V DC approximately 50mA / 1W, white.
- Interchangeable nameplate made of stainless steel with laser engraving or nameplate made of plexiglass available.
- 8-12V DC short-stroke doorbell button with LED ring illumination (blue, white, red or green). The illumination of the doorbell button cannot be powered through the control unit. It must be connected to an additional power supply of 8-12 V DC.
- Optionally, a 8-12V DC short-stroke light button with pictogram is possible.
- Includes EVN LED power supply / transformer IP65 12V/DC 0.1−4W for LED lighting (house number, doorbell button, and nameplate if selected).
- Innovative push-key lock including 2 keys with key number, comfortable closing without a key, optimally protected against the elements.
- The retrieval door with opening limiter opens from top to bottom to prevent the mail from falling out towards you.
- Front insertion with high-quality axle dampers for very quiet insertion of the mail.
- DIN/EN 13724 compliant mailbox, insertion size (3.5 cm x 32.5 cm) for C4 horizontal – even large letters remain intact. Additional retrieval protection made of stainless steel integrated.
- Optimal weather protection through recessed panel.
- Double box system: Ideal for recessed mounting. The panel can be easily installed after the construction work is completed.
- Insertion box made of stainless steel 1.4016 (rustproof, magnetic stainless steel) with pre-stamped cable entries on all sides.

Important Information:

To achieve optimal water protection for your mail, the mailbox or mailbox system should preferably be located under a canopy.

Mail is only protected from water if it is completely placed in the box and the insertion flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the mailbox. This system is protected against water ingress according to DIN EN 13724. Water ingress is not a reason for complaint.

Product properties

Series	GRIMM
Number of bell push buttons	1 Taster
Functions	Light button, Camera, Intercom, Fingerprint, Keypad
Functional box prepared for manufacturer	LOXONE, GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, HHG, HIKVISION, PCS, Sesam, ekey, Comelit, Schneider Intercom / COMMEND, Mobotix
Name labelling	Laser-cut engraving, Nameplate, Laser-engraved , Illuminated laser-cut engraving
Material	Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
House number	House number as laser engraving, House number as laser cut, illuminated
Removal of mail	On the front
Number of boxes	with 1 letterbox
Surface/colour	Brushed
Boxes by volume	Large > 16 litres
Mounting type	Flush-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	460.0
Width of single box in mm	560.0
Capacity in litres	26.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	External dimensions 500.0 | Installation dimensions 460.0
Width of letterbox system in mm	External dimensions 600.0 | Installation dimensions 560.0
Depth in mm	150.0
Weight in kg	19
Delivery condition	Delivery is provided assembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing




Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images










Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618