14 pcs 5x3 stainless steel flush-mounted letterbox system BASIC Plus 382XU UP - polished stainless steel - 14 parties | 150mm depth | Stainless steel, brushed | with 14 mailboxes



Product number 382XU-VA-14-150

Product description

14-unit (5x3) stainless steel recessed letterbox system BASIC Plus 382XU UP - brushed stainless steel - 14 households

Modern recessed letterbox for 14 households - made in Germany by Briefkasten Manufaktur.

The letterbox is made entirely of V2A stainless steel, brushed. The very high-quality workmanship and the well thought-out concept make this recessed letterbox one of our bestsellers. A rain-drip edge for optimal water protection, a continuous rubber lip for quiet posting, a sturdy interchangeable nameplate, a practical mail retention bracket and a very robust lock characterise this recessed letterbox. The recessed frame made of V2A stainless steel is fitted with a foam rubber seal and ensures a very long service life.

The letterbox systems of the BASIC Plus collection are distinguished by the consistent use of V2A stainless steel. The result is very high durability and sustainability. The construction was developed by our own engineers with a focus on high flexibility and modularity, easy spare-part replacement and straightforward self-installation. Spare parts for all BASIC Plus systems are directly available.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

- 14-unit recessed letterbox system completely made of V2A stainless steel 1.4301, 240-grit brushed finish.
- The system is manufactured by Briefkasten Manufaktur. German quality production "Made in Germany".
- The letterboxes comply with DIN/EN 13724. Aperture size (3.5 cm x 32.5 cm) for C4 landscape; large letters also fit in here without bending.
- Drop flap with noise-damping rubber seal for very quiet posting of mail.
- The door opens from left to right.
- Includes 2 keys with key number, interchangeable nameplate (type 2) under the mail flap and mail retention bracket.
- Large capacity due to optional mailbox depth +50 mm = approx. 17 l. Suitable for businesses and households with very high mail volumes.
- Plaster cover frame made of stainless steel angle profile 25 x 58 mm, 240-grit brushed finish.

Important information:

Mail is only protected from moisture and soiling when it has been fully posted and the flap is closed. Under certain extreme weather conditions water may nevertheless enter (according to DIN EN 13724 up to 1 cm³). This does not constitute grounds for a complaint.

Product properties

Series	BASIC
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Surface/colour	Brushed
Boxes by volume	Large > 16 litres
Number of boxes	with 14 letterboxes
Mounting type	Flush-mounted

Dimensions

Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	1040.0
Width of letterbox system in mm	1825.0
Depth in mm	100.0 | 150.0
Weight in kg	68
Delivery condition	Delivery is partly disassembled (2 blocks)

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618