6-compartment stainless steel surface-mounted mailbox BASIC Plus 382X AP with side-mounted bell box | Right | 100mm depth | with 6 letterboxes (3x2) | Stainless steel, brushed



Product number 382XA-VA-6W-SSP-100-R

Product description

6-unit stainless-steel surface-mounted mailbox BASIC Plus 382X AP with side bell box

German quality manufacture "Made in Germany" by Briefkasten Manufaktur. The complete 3-unit surface-mounted mailbox is made of weather-resistant stainless steel V2A, brushed. A drip edge for optimal water protection, a double-folded insertion flap with rubber buffer, the robust interchangeable nameplate, a practical mail-retaining bar and a very robust lock characterise this stainless-steel mailbox.

The mailbox systems of the BASIC Plus collection are characterised by the consistent use of stainless steel V2A. The result is very high durability and sustainability. The construction has been developed by our own engineers with a view to high flexibility and modularity, easy replacement-part assembly and straightforward self-assembly. Spare parts for all BASIC Plus systems are readily available.

Thanks to the construction method, self-assembly is straightforward. The mailbox system is prepared for uncomplicated complete installation, so there is no need for labour-intensive wall mounting of individual boxes. 6-unit surface-mounted mailbox made of high-quality, weather-resistant stainless steel V2A 1.4301, brushed.

The advantages at a glance

Close-fitting stainless-steel cladding with rain canopy

Side cladding and rain canopy are included in this version and are made of brushed stainless steel V2A. The close-fitting design forms a closed, structurally coordinated unit with the mailbox system.

Spacious mail slot

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The insertion opening measures 35 × 325 mm and is designed for landscape DIN C4. The mailbox version complies with DIN EN 13724.

Quiet insertion and comfortable removal

The integrated flap damping with rubber buffer reduces impact noise during insertion. The mail-retaining bar holds items back during removal.

Integrated bell and intercom area

Bell box made of brushed stainless steel V2A 1.4301. The stainless-steel bell button Type 4 is used. Optionally prepared with a speaking grille for the installation of standard door intercom systems or flush-mount speakers. (Door intercom/flush-mount speakers not included). A version with the Comelit Ultra video complete set is also available as an option.

Quality manufacture and well-considered construction

The unit is manufactured at the Briefkasten Manufaktur in Germany. The design is intended for straightforward self-assembly.

Equipment and product details

Mailbox system

Number of mailboxes 6 individually usable mail compartments
Arrangement 3 × 2
Depth 100 mm
Mailbox material Stainless steel V2A 1.4301
Mailbox surface Brushed
Bell/intercom component Bell box made of stainless steel V2A 1.4301, brushed

Mail and operation

Insertion opening 35 × 325 mm, suitable for landscape DIN C4
Standard DIN EN 13724
Insertion flap Noise-dampened by rubber buffer
Keys 2 keys with key number per mailbox
Nameplate Replaceable nameplate below the insertion flap
Mail-retaining bar Integrated in each mailbox

Installation and equipment

Installation type Surface-mounted
Drip edge Integrated into the construction
Rain canopy Made of stainless steel V2A, brushed
Side cladding Made of stainless steel V2A, brushed
Mounting material For wall mounting incl. mounting rail and fastening material (screws + plugs)
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on weather protection

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Mail is optimally protected from moisture and dirt when fully inserted and the insertion flap is closed. Oversized items may prevent the flap from closing completely.

Note on wall mounting

Before installation, the load-bearing capacity and condition of the wall must be checked. Fixings must be matched to the weight of the unit and the existing wall construction.

Product properties

Series	BASIC
Number of bell push buttons	6 buttons
Functions	Light button, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Number of boxes	with 6 letterboxes
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Surface/colour	Brushed
Mounting type	Surface-mounted

Dimensions

Height of single box in mm	330.0
Width of single box in mm	355.0
Capacity in litres	12.0 | 17.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	660.0
Width of letterbox system in mm	1235.0
Total width in mm	1235.0
Depth in mm	100.0 | 150.0
Weight in kg	24

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110


Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618