15-unit (5x3) freestanding mailbox system Design BASIC 385 ST-R - RAL 7016 anthracite grey | RAL 7016 Anthracite grey, fine texture, matt | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | with 15 mailboxes



Product number 385-7016-15

Product description

Freestanding 15-unit mailbox system BASIC 385 for 15 households – RAL 7016 Anthracite Grey

With 15 individually usable mailboxes, the freestanding BASIC 385 provides a clear mail solution for larger multi-family houses, residential complexes and demanding commercial properties. The stand mounting allows flexible placement where the system is easily accessible to residents and couriers.

The system configuration is matched to the respective number of households and, together with the rain hood and side cladding, forms a closed unit.

The mailboxes are made of galvanised steel and are powder-coated in RAL 7016 Anthracite Grey fine-textured matt. A close-fitting side cladding with rain hood integrates the individual mailboxes into a single enclosed system.

Each compartment features a mail slot of 35 × 265 mm for DIN C4 items in portrait orientation. A noise-damping rubber lip reduces impact noise, while the front access doors open from left to right. Each mailbox is supplied with two keys with key number and an interchangeable nameplate beneath the mail flap.

The advantages of the BASIC 385 at a glance

Robust stainless steel stand elements

Round-tube stand elements with approx. 60 mm diameter made of brushed stainless steel V2A 1.4301 form a stable base for the freestanding mailbox system. The robust construction is designed for long-term use at the property entrance.

Clear allocation for all households

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The system provides 15 individually usable mailboxes and can be positioned independently of a building wall in an easily accessible location on the property.

Large mail slot according to DIN EN 13724

The mail slot measuring 35 × 265 mm is designed for DIN C4 items in portrait orientation. Larger envelopes can also be inserted without folding.

Quiet insertion and comfortable retrieval

A noise-damping rubber lip reduces the impact of the mail flaps. Mail is retrieved from the front via doors that open from left to right.

Proven BASIC quality Made in Germany

The combination of solid material selection, mailboxes conforming to DIN EN 13724 and an assembly-friendly construction makes the BASIC 385 a durable solution for everyday use.

Equipment of the BASIC 385 mailbox system

Mailbox system

Configuration Product-specific system configuration
Number of mailboxes 15 individually usable mailboxes
Mailbox material Galvanised steel
Finish RAL 7016 Anthracite Grey fine-textured matt
Rain hood / side cladding Galvanised steel, powder-coated in RAL 7016 Anthracite Grey fine-textured matt
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Mail and operation

Mail slot 35 × 265 mm, suitable for DIN C4 portrait
Mail flaps With noise-damping rubber lip
Mail retrieval Front access
Door opening Opens from left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate beneath the mail flap
Standard Mailboxes conforming to DIN EN 13724

Stand elements and fittings

Stand elements Round tube approx. 60 mm made from stainless steel V2A 1.4301, brushed
Mounting options Optional for screw mounting or for casting in concrete
Fixings Anchor bolts for screw mounting not included; select suitable ones for the foundation separately

Mailbox size and volume

The BASIC 385 is available with different mailbox sizes depending on the product configuration. The standard version 300 × 110 × 385 mm offers approx. 12 litres volume; depending on the variant 300 × 220 × 385 mm with approx. 25 litres volume is also available.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Installation by casting in concrete

For the freestanding system we recommend a sufficiently sized concrete foundation. When casting in, the stainless steel stand elements must be aligned plumb and permanently anchored in the foundation. Foundation size and embedment depth must be matched to soil conditions, system weight and local circumstances.

Bolt mounting on a foundation

For screw mounting a level and load-bearing concrete foundation is required. Suitable anchor bolts or fastenings must be chosen to suit the substrate and the system load. For BASIC-385-ST-R versions anchor bolts are not included in the standard scope of delivery.

Note on weather protection

Mail items are best protected against moisture and soiling only when fully inserted and with the mail flap closed. Overhanging items may prevent the flap from closing completely. Under extreme weather conditions moisture may enter the mailbox despite standard-compliant construction.

Product properties

Material	Steel, galvanised, Stainless steel V2A 1.4301
Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), Brushed, RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Mounting type	Free-standing
Number of boxes	with 15 letterboxes
Removal of mail	On the front

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	550.0
Width of letterbox system in mm	900.0
Overall height in mm	1200.0 | 1500.0 | 1700.0
Total width in mm	1060.0
Depth in mm	435.0
Weight in kg	76
Delivery condition	Delivery is made in blocks; freestanding elements / mailbox are delivered separately.

Dimension drawing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618




Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618