Freestanding XXL parcel box GOETHE with 1 letterbox and LOXONE Intercom/Code Touch 1x1 prepared on the right - airlock system - RAL colour of your choice | Right | Prepared for a 1x1 LOXONE Intercom | with 1 mailbox | Front mail retrieval



Product number 215-STL-PK600-1BK-SPR-LOX1

Product description

Freestanding XXL parcel box GOETHE with 1 mailbox and LOXONE Intercom/Code Touch 1x1 prepared on the right - delivery airlock system - RAL colour of your choice

Parcel delivery has changed significantly in recent years – today customers expect more flexibility and security than ever before. With the **parcel mailbox GOETHE** from Briefkasten Manufaktur you rely on an optimal combination of innovative technology and outstanding design, manufactured from high-quality stainless steel and aluminium, powder-coated in the RAL colour of your choice. The column is **prepared for LOXONE Intercom/Code Touch 1x1**. The flush-mounted design enables seamless integration of a LOXONE system module (not included) via a well-designed mounting system. The preparation is specifically intended for 1 LOXONE Intercom (including drilling for the sound outlet).

The **mailbox** (BH 400x400 mm) is made of stainless steel 1.4016 (non-rusting, magnetic stainless steel), powder-coated in a RAL colour of your choice. It is fitted with an innovative Push-Key lock that is keyed alike with the parcel box and supplied with ten keys. Letter insertion and retrieval are from the front. The insertion flap is fitted with high-quality hinge dampers, allowing mail to be inserted particularly quietly. The mailbox complies with **DIN/EN 13724** with an insertion size of 3.5 x 36.0 cm – sufficient for C4 envelopes in landscape format without folding. The collection door opens downwards so that your post cannot fall out towards you. The mailbox dimensions provide a capacity of approx. 64 litres. The innovative Push-Key lock is discreetly concealed inside: the key is simply inserted – no turning required – and the door opens.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

The generous **parcel box** (BH 600x1200 mm) is also made of stainless steel 1.4016, powder-coated in the RAL colour of your choice. It offers a volume of 192 litres and allows delivery of parcels up to a size of 555 x 375 x 305 mm (W x H x D), which corresponds to DHL parcel size L. The parcel drop flap is damped and closes particularly quietly. Thanks to the specially developed delivery airlock, your parcel is automatically transferred into the secured collection compartment after insertion. The airlock is immediately ready for further deliveries and remains isolated from the collection compartment – your shipments are always optimally protected. Any carrier (e.g. DHL, DPD, TNT, GLS, Hermes) can use the parcel mailbox. Depending on placement, up to four DHL parcels of size M can even fit.

Briefkasten Manufaktur places the highest value on premium materials. Stainless steel provides extremely high corrosion resistance and an elegant surface finish. Quality assurance begins with the selection of our raw material suppliers and only ends when the parcel mailbox reaches you in the required quality. Rely on the **parcel mailbox GOETHE** – a secure, flexible and stylish solution for your mail and parcel delivery. A product that combines traditional craftsmanship with state-of-the-art technology – Made in Germany by Briefkasten Manufaktur Lippe.

- High-quality parcel mailbox made of stainless steel and aluminium, powder-coated in the colour of your choice.
- Quality manufacturing - Made in Germany by Briefkasten Manufaktur Lippe.
- Mailbox (BH 400x400 mm) made of stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in RAL of your choice with stainless steel laser-engraved pictogram "BRIEF".
- 2 innovative Push-Key locks with 10 keys, keyed alike.
- Letter insertion and retrieval from the front. Insertion flap with high-quality hinge dampers for very quiet insertion of mail.
- The mailbox complies with DIN/EN 13724. Insertion size (3.5 cm x 36.0 cm) for C4 landscape – large letters fit without folding.
- Collection door opens from top to bottom so that mail cannot fall towards you.
- Parcel box (BH 600x1200 mm) made of stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in RAL of your choice with stainless steel laser-engraved pictogram "PAKET".
- Parcel compartment volume: 192 litres, Max. parcel dimensions: 555 x 375 x 305 mm (W x H x D), corresponding to parcel size L.
- Parcel drop flap with damping for quiet closing.
- Function compartment (BH 200x400 mm) made of stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in RAL of your choice.
- The LOXONE Intercom can be seamlessly integrated into the flush-mounted design and exchanged at any time. The preparation is intended for 1 LOXONE Intercom (including drilling for the sound outlet). NOT INCLUDING LOXONE Intercom/system components!
- Optimal protection from rain thanks to drip edges and a rain canopy made from 3 mm aluminium AlMg3 W19, powder-coated in the RAL colour of your choice.
- Side cladding made from 3 mm aluminium AlMg3 W19, powder-coated in the RAL colour of your choice.
- Rear panel made from 1 mm stainless steel 1.4301 V2A, powder-coated in the RAL colour of your choice.
- Base made from 40x40x2 mm stainless steel tube 1.4301 V2A, powder-coated in the RAL colour of your choice.
- Invisible fixing and cable routing inside the column. The overall height is 1.65 m.

Important information

Water protection

To achieve optimal water protection for your post, the mailbox or mailbox system should, where possible, be located under a canopy.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Items are only protected from water when they are placed completely inside the box and the insertion flap is closed. Partially inserted mail allows moisture and dirt to enter the mailbox. This unit is protected against water ingress according to DIN EN 13724. Water ingress is not grounds for a complaint.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GOETHE
Functions	Newspaper compartment, Camera, Intercom, Fingerprint, Keypad, Parcel compartment
Functional box prepared for manufacturer	LOXONE
Number of boxes	with 1 parcel box, with 1 letterbox
Material	Aluminium AlMg3 W19, Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
Mounting type	Free-standing
House number	House number as laser engraving
Name labelling	Laser-engraved
Removal of mail	On the front
Boxes by volume	Jumbo > 30 litres

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	BK 400,0 | PK 1200,0
Width of single box in mm	BK 400,0 | PK 600,0
Capacity in litres	BK 64.0 | PK 192.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	360.0
Overall height in mm	1650.0
Total width in mm	608.0
Depth in mm	400.0 + 25.0 rain canopy
Weight in kg	69
Delivery condition	Delivered assembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images











Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618





Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618