16-unit stainless steel surface-mounted mailbox system Design BASIC Plus 385XA AP - RAL colour of your choice | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | ? Colour of your choice | with 16 mailboxes



Product number 385XA-16W

Product description

Wide surface-mounted mailbox system BASIC Plus 385XA for 16 households – RAL colour of your choice

The BASIC Plus 385XA surface-mounted mailbox system for 16 households is a robust wall-mounted solution for larger apartment buildings, residential complexes and commercial properties. The wider W version distributes the mailboxes across a multi-column front and keeps the overall system proportionally lower and more orderly.

The BASIC Plus mailbox system is made entirely from stainless steel V2A and is powder-coated in the chosen RAL colour. The modular construction is designed for durability, easy installation and good spare-part availability.

Each compartment measures 300 × 110 × 385 mm (W × H × D) and offers approx. 12 litres of capacity. The 35 × 265 mm insertion aperture is designed for DIN C4 items in portrait orientation. The doors open from left to right; each mailbox is supplied with two keys with key number and an interchangeable nameplate located beneath the flap.

The advantages of the BASIC Plus 385XA surface-mounted system at a glance

Rain canopy and side cladding

The rain canopy and side panels combine the individual mailboxes into a continuous surface-mounted unit. The coordinated cladding provides a calm front and a neat finish to the façade.

DIN C4 aperture and 12-litre capacity

The 300 × 110 × 385 mm (W × H × D) compartments each offer approx. 12 litres of capacity. The 35 × 265 mm insertion aperture also accepts larger DIN C4 items in portrait orientation.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure allocation

The rubber lip damps the insertion flap. Robust locks, two keys with key number and protected interchangeable nameplates ensure unambiguous use of each mailbox.

Mounting rail for wall installation

The surface-mounted system is designed for direct façade installation. A mounting rail simplifies installation; fixings with screws and wall plugs are included in the described configuration.

BASIC Plus in RAL colour of your choice

V2A stainless steel forms the robust basis; the powder coating can be applied in the desired RAL colour to match the façade, front door and window profiles. BASIC Plus also stands for consistent V2A use, modular construction and readily available spare parts.

Equipment of the BASIC Plus 385XA mailbox system

Mailbox system

Number of mailboxes 16 individually lockable compartments
Single compartment 300 × 110 × 385 mm (W × H × D)
Capacity Approx. 12 litres per mailbox
Material Stainless steel V2A, powder-coated in RAL colour of your choice
Finish Powder coating in RAL colour of your choice
Standard DIN EN 13724

Mail and operation

Aperture 35 × 265 mm, suitable for DIN C4 (portrait)
Insertion flaps With noise-damping rubber lip
Mail collection From the front
Door opening From left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate beneath the insertion flap

Cladding and wall mounting

Side cladding Flush-fitting design
Rain canopy Sturdy canopy matching the system
Mounting type Surface-mounted wall installation
Installation aid Mounting rail
BASIC Plus Modular construction with directly available spare parts
Fixings Screws and wall plugs included; suitability for on-site wall construction must be checked
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall mounting

The wall must be even and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall structure; for other substrates or external thermal insulation composite systems, appropriate fixing solutions must be specified on site.

Note on weather protection

Mail is best protected against moisture and dirt only when items are fully inserted and the insertion flap is closed. Protruding letters or magazines can prevent the flap from closing completely.

BASIC Plus construction

The BASIC Plus series consistently relies on stainless steel V2A and a modular, installation-friendly construction. Spare parts for BASIC Plus systems are readily available.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Boxes by volume	Normal > 10 litres
Number of boxes	with 16 letterboxes
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	880.0
Width of letterbox system in mm	600.0
Total width in mm	608.0
Depth in mm	435.0
Weight in kg	75
Delivery condition	Delivered partially disassembled.

Dimension drawing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618




Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110


Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618