Freestanding letterbox STORM for 2 households – 2-compartment – RAL 7016 anthracite grey | RAL 7016 Anthracite grey, fine texture, matt | with 2 letterboxes (2x1)



Product number 480STQ-2W-7016

Product description

Freestanding STORM mailbox system for 2 households – high-quality wide version

The STORM freestanding mailbox system for 2 households combines a clear, modern design with very high material and manufacturing quality. The side-by-side mail compartments are particularly easy to access for residents and delivery personnel and produce a low, linear system profile. The system is designed as a durable entrance solution for residential and commercial properties and is manufactured by the Briefkasten Manufaktur in Germany.

The mailboxes, rain hood and side panels are made of **high-quality galvanised steel** and are powder-coated in **RAL 7016 Anthracite Grey fine-textured matt**. The **40 × 40 mm support posts made of stainless steel V2A 1.4301, brushed** provide an intentionally high-quality material contrast. In particular, the combination of the finely textured anthracite-grey surface and brushed stainless steel defines the quality character of the STORM series.

Each compartment features a 35 × 340 mm insertion opening suitable for DIN C4 mail in landscape format. Noise-damping rubber buffers, a downward-opening retrieval door with an opening stop, a mail retention bracket and two keys with key number per mailbox ensure comfortable use. The mailboxes comply with DIN EN 13724.

The advantages of the STORM freestanding mailbox system at a glance

Comfortable solution for two-family houses

Two fully functional mailboxes at a common operating height combine high user comfort with a very high-quality choice of materials. The STORM system, manufactured in Germany, is particularly suitable for two-family houses and representative entrance areas with sufficient width.

Very high material quality of the mailboxes

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

All 2 mailboxes as well as the rain hood and side panels are manufactured from galvanised steel. The powder coating in RAL 7016 Anthracite Grey fine-textured matt creates a high-quality, homogeneous surface and emphasises the system’s linear architecture.

High-quality support posts in brushed stainless steel

The 40 × 40 mm support posts are made of stainless steel V2A 1.4301 and are given a brushed finish. The high-quality stainless steel forms the robust base of the system and provides an intentionally elegant contrast to the anthracite-grey mailbox surface.

DIN C4 insertion and comfortable mail retrieval

All compartments have a 35 × 340 mm insertion opening for DIN C4 envelopes in landscape format. Rubber buffers reduce impact noise; an opening stop and mail retention bracket support comfortable retrieval.

Freestanding and flexibly planned

The wide system can be positioned freely at the property entrance and can be supplied either with posts for embedding in concrete or for screw mounting. For screw mounting, the appropriate anchor bolts must be selected separately to suit the foundation and local installation conditions.

Equipment and high-quality materials

Mailbox and surface

Number of compartments 2 separately lockable mailboxes
Arrangement 2 columns × 1 row
Mailbox material Galvanised steel
Mailbox surface RAL 7016 Anthracite Grey, fine-textured matt, powder-coated
Rain hood and side panels Galvanised steel, RAL 7016 Anthracite Grey fine-textured matt
Standard Mailboxes conform to DIN EN 13724

Mail convenience

Insertion opening 35 × 340 mm per mailbox, suitable for DIN C4 landscape
Insertion flaps With high-quality, noise-damping rubber buffers
Mail retrieval Front-facing, door opens downward with opening stop
Mail retention bracket Integrated in each mailbox
Keys 4 keys in total, 2 per mailbox, with key number
Nameplates 2 protected interchangeable nameplates under the insertion flaps

Support posts and mounting

Support post material Stainless steel V2A 1.4301
Cross-section 40 × 40 mm
Support post surface Brushed stainless steel
Mounting options Either for embedding in concrete or for screw mounting
Anchor bolts Not included for screw mounting; to be selected separately to suit the foundation
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Installation by embedding in concrete

The stainless steel support posts must be anchored vertically in a sufficiently sized foundation. Foundation size and construction must be matched to ground conditions, system weight and local loads.

Screw mounting on a foundation

For screw mounting a flat and load-bearing foundation is required. The required anchor bolts are not included and must be selected separately to suit the existing foundation construction.

Note on weather protection

For optimal protection, mail items must be fully inserted so that the insertion flaps can close completely. A sheltered location additionally reduces direct exposure to the weather.

Product properties

Material	Steel, galvanised
Series	STORM
Boxes by volume	Normal > 10 litres
Mounting type	Free-standing
House number	House number as laser engraving
Surface/colour	RAL 7016 anthracite grey
Number of boxes	with 2 letterboxes
Name labelling	Laser-engraved
Removal of mail	On the front

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	330.0
Width of single box in mm	370.0
Capacity in litres	12.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	340.0
Height of letterbox in mm	331.5
Width of letterbox system in mm	742.0 | 752.0
Overall height in mm	1200.0 | 1500.0 + 30.0
Total width in mm	742.0 | 752.0
Depth in mm	100.0 + 40.0
Weight in kg	20
Delivery condition	Mounting kit for self-assembly

Dimension drawing

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen


www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618


STORM
Montageanleitung






Montagebohrungen
4x Ø11
170
70
600
752
140
1230 / 1530
660