13-unit 7x2 surface-mounted mailbox system Design BASIC 385A- VA AP - V2A stainless steel, brushed finish | with 13 mailboxes (2x7) | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | Stainless steel, brushed



Product number 385A-VA-13W

Product description

Wide surface-mounted mailbox system BASIC 385A for 13 households – Brushed stainless steel V2A

The BASIC 385A surface-mounted mailbox system for 13 households is a robust wall solution for larger multi-family homes, residential complexes and commercial properties. The wider W version distributes the mailboxes across a multi-column front and keeps the overall system lower and more compact in proportion.

The mailbox system is made from high-quality stainless steel V2A with a brushed finish. Mailboxes, cladding and weather canopy form a timeless, low-maintenance and robust stainless steel unit.

Each compartment measures 300 × 110 × 385 mm (W × H × D) and offers approx. 12 litres of volume. The 35 × 265 mm insertion aperture is designed for DIN C4 items in portrait orientation. The doors open from left to right; each mailbox is supplied with two keys with key number and an interchangeable nameplate located under the mail flap.

The advantages of the BASIC 385A surface-mounted system at a glance

Weather canopy and side cladding

The weather canopy and side panels join the individual mailboxes into a closed surface-mounted unit. The coordinated cladding provides a calm front and a neat finish at the façade.

DIN C4 insertion and 12 litres volume

The 300 × 110 × 385 mm (W × H × D) compartments each provide approx. 12 litres of volume. The 35 × 265 mm insertion aperture also accepts larger DIN C4 items in portrait orientation.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure assignment

The rubber lip damps the insertion flap. Robust locks, two keys with key numbers and protected interchangeable nameplates ensure clear assignment of the individual mailboxes.

Mounting rail for wall installation

The surface-mounted unit is designed for direct façade mounting. A mounting rail simplifies installation; fixings including screws and wall plugs are included in the described configuration.

Completely in brushed stainless steel

The V2A version combines a high-quality metal surface with a robust construction for long-lasting surface-mounted mailbox systems. The system is manufactured in Germany by Briefkasten Manufaktur.

Specification of the BASIC 385A mailbox system

Mailbox system

Number of mailboxes 13 separately lockable compartments
Individual compartment 300 × 110 × 385 mm (W × H × D)
Volume Approx. 12 litres per mailbox
Material Stainless steel V2A 1.4301, brushed
Surface Stainless steel V2A 1.4301, brushed
Standard DIN EN 13724

Mail and operation

Insertion aperture 35 × 265 mm, suitable for DIN C4 portrait
Insertion flaps With noise-damping rubber lip
Mail retrieval Front access
Door opening Left to right
Keys 2 keys with key number per mailbox
Nameplate Interchangeable nameplate below the mail flap

Cladding and wall mounting

Side cladding Close-fitting design
Weather canopy Solid canopy, matching the unit
Mounting type Surface-mounted wall installation
Mounting aid Mounting rail
Fixings Screws and wall plugs included; suitability for the local wall construction must be checked on site
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall mounting

The wall must be even and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall construction; for other substrates or external thermal insulation composite systems, appropriate fastening solutions must be specified on site.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on weather protection

Mail is only optimally protected against moisture and soiling when items are fully inserted and the insertion flap is closed. Protruding letters or magazines can prevent the flap from closing completely.

Product properties

Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Surface/colour	Brushed
Mounting type	Surface-mounted
Number of boxes	with 13 letterboxes

Dimensions

Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	770.0
Width of letterbox system in mm	600.0
Total width in mm	608.0
Depth in mm	435.0
Weight in kg	75
Delivery condition	Delivered partially assembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618