Design surface-mounted letterbox GRIMM - polished stainless steel with preparation for camera and intercom system left | Left | Individualised preparation | Stainless steel, brushed | Surface-mounted



Product number 562-AP-SPL-1-VA-IND

Product description

Design Mailbox GRIMM® – A Masterpiece of Mailbox Manufacturing

The Design Surface-Mounted Mailbox GRIMM combines modern design with top-quality craftsmanship – ideal for discerning builders and architects seeking an elegant solution for the integration of a camera and built-in speaker. Manufactured from high-quality stainless steel and fully "Made in Germany" by the Lippe Mailbox Manufacturer, this model exemplifies durability, functionality, and stylish aesthetics. The brushed front panel made from 2 mm stainless steel V2A (1.4301) impresses with its timeless appearance and high corrosion resistance.

 Compatible with well-known manufacturers: LOXONE, Siedle, Busch-Jaeger, Gira, TCS, Legrand BTicino, Ritto, STR Elektronik, ELCOM, HHG, Comelit, Mobotix, HIKVISION and many others available on request.

The **preparation for a camera** (not included) provides a secure basis for modern video surveillance directly at the entrance. Additionally, a **preparation for built-in speakers** is possible – optionally with a suitable universal adapter for various intercoms. This allows the mailbox to be perfectly adapted to your existing technology.

The Mailbox GRIMM® is not only a visual highlight but also excels in functionality and quality. Thanks to the innovative push-key lock, the mailbox can be operated easily and comfortably with one hand. Open the door with a press and close the door without using a key. The lock is optimally protected against weather influences. Additionally, the mailbox features an intelligent retrieval system: The door opens from top to bottom, ensuring that the mail remains securely in the box and does not fall out. The mail insertion is also comfortable from the front, with high-quality axle dampers ensuring a gentle closing of the insertion flap. Particularly unique is the GRIMM due to the double box system: The surface-mounted housing made from brushed stainless steel V2A (1.4301) is first installed, while the panel can be inserted after the completion of the installation work. The recessed panel also provides optimal protection against rain and other environmental influences.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Thanks to the DIN/EN 13724 standard, the GRIMM is ideally suited for large letters in C4 format, which can be inserted without creasing. The Mailbox GRIMM® impresses with its durable quality, timeless design, and thoughtful functionality.

- High-quality mailbox completely made of stainless steel for surface mounting.
- Front panel made of 2 mm stainless steel V2A 1.4301, brushed.
- Quality manufacturing – Made in Germany by Lippe Mailbox Manufacturer.
- Preparation (built-in speaker not included) for intercom system possible. Optionally with universal adapter for all common built-in speakers.
- Optional preparation (camera not included) for a camera.
- House number approx. 70mm high (max. 3 digits) with energy-saving LED lighting 12V DC approx. 50mA / 1W, white.
- Choice of replaceable nameplate made of stainless steel with laser engraving or nameplate made of plexiglass.
- 8-12V DC short stroke doorbell button with LED ring lighting (Blue, White, Red or Green). The lighting of the doorbell button cannot be powered by the control unit. It must be connected to an additional power supply 8-12V DC.
- Optional 8-12V DC short stroke illuminated button with pictogram available.
- Including EVN LED power supply / transformer IP65 12V/DC 0.1-4W for LED lighting (house number, doorbell button and nameplate if chosen).
- Innovative push-key lock including 2 keys with key number, convenient closure without a key, optimally protected against weather.
- The retrieval door with opening limiter opens from top to bottom to prevent mail from falling out.
- Front insertion with high-quality axle dampers for very quiet mail insertion.
- DIN/EN 13724 compliant mailbox, insertion size (3.5 cm x 32.5 cm) for C4 landscape – even large letters remain intact. Additional retrieval protection made of stainless steel integrated.
- Optimal weather protection through recessed panel.
- Double box system: Ideal for surface mounting. The panel can be conveniently installed after the construction work is completed.
- Surface-mounted box made of 2mm stainless steel V2A 1.4301, brushed.

Important Information:

To achieve optimal water protection for your mail, it is advisable for the mailbox or mailbox system to be located under an overhang if possible.

The mail is only protected from water if it is fully placed in the box and the insertion flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the mailbox. This system is protected against water ingress according to DIN EN 13724. Water ingress is not a reason for complaint.

Product properties

Series	GRIMM
Number of bell push buttons	1 Taster
Functions	Light button, Camera, Intercom, Fingerprint, Keypad
Functional box prepared for manufacturer	LOXONE, GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, HHG, HIKVISION, PCS, Sesam, ekey, Comelit, Schneider Intercom / COMMEND, Mobotix
Name labelling	Laser-cut engraving, Nameplate, Laser-engraved , Illuminated laser-cut engraving
Material	Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
House number	House number as laser engraving, House number as laser cut, illuminated
Removal of mail	On the front
Number of boxes	with 1 letterbox
Surface/colour	Brushed
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	460.0
Width of single box in mm	410.0
Capacity in litres	26.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	760.0
Width of letterbox system in mm	460.0
Depth in mm	150.0
Weight in kg	29
Delivery condition	Delivery is made assembled.

Dimension drawing



More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618