Design letterbox pedestal GRIMM - removal from the rear - colour of your choice with preparation for camera and intercom system | Individualised preparation | ? Colour of your choice | Rear mail retrieval



Product number 562-STL-PE-H-SPO-1-SF-IND

Product description

Design Mailbox Column GRIMM – A Masterpiece of Mailbox Manufacturing

The mail column GRIMM combines modern design with top-notch craftsmanship – ideal for discerning builders and architects seeking an elegant solution for integrating a camera and built-in speaker. Manufactured from high-quality stainless steel and fully “Made in Germany” by the Lippe Mailbox Manufacture, this model stands for durability, functionality, and stylish aesthetics. The powder-coated front panel made of 2 mm stainless steel V2A 1.4301 impresses with its timeless appearance and high corrosion resistance.

 Compatible with common manufacturers: LOXONE, Siedle, Busch-Jaeger, Gira, TCS, Legrand BTicino, Ritto, STR Electronics, ELCOM, HHG, Comelit, Mobotix, HIKVISION, and many more available upon request.

The **preparation for a camera** (not included) provides a secure foundation for modern video surveillance right at the house entrance. Likewise, a **preparation for a built-in speaker** is possible – optionally with a suitable universal adapter for various intercom stations. This allows the mailbox to be perfectly adapted to your existing technology.

The GRIMM mailbox impresses with modern design, high-quality manufacturing, and thoughtful functionality. Equipped with a classic lever lock made of stainless steel including a dust cover, the locking mechanism is reliably protected from weather influences and ensures a long service life. Mail retrieval is comfortably from the rear – ideal when the mailbox is integrated into a wall or fencing system. Mail insertion occurs from the front and is supported by high-quality axle dampers, allowing for gentle and quiet closing of the insertion flap. Thanks to the practical construction, your mail remains secure in the box, even when the flap is opened. Particularly flexible, the GRIMM features a double-box system: The column can be installed during the shell construction phase, while the front panel is mounted only after the completion of the construction works. This protects the mailbox from dirt and damage during the construction period and ensures a perfect appearance for moving in.

Thanks to the DIN/EN 13724 standard, the GRIMM is ideal for large letters in C4 format, which can be inserted without creasing. The GRIMM mailbox impresses with its durable quality, timeless design, and thoughtful functionality.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

A special feature of the Design Mailbox Column GRIMM is the fully welded support column made of solid stainless steel V2A 1.4301, powder-coated in a colour of your choice. This construction guarantees maximum stability and an exceptionally long service life – even with permanent use in outdoor areas. The fully welded construction creates a seamless, sturdy body without visible screws or plug connections, which not only emphasises the elegant appearance but also prevents the intrusion of moisture and dirt. The precisely ground seams provide a homogeneous appearance and give the column a particularly high-quality impression. Furthermore, the design allows for invisible cable routing within the column, ensuring that all electrical connections for the DoorBird video intercom system and other smart home components can be installed securely and protected. This unique manufacturing method sets new standards in design and functionality and makes the mailbox column GRIMM a future-proof solution for modern architectural projects.

- High-quality mailbox column made entirely of stainless steel for freestanding installation.
- Front panel made of 2 mm stainless steel V2A 1.4301, powder-coated in the colour of choice.
- Quality production – Made in Germany by Lippe Mailbox Manufacture.
- Preparation (built-in speaker not included) for intercom system possible. Optionally with universal adapter for all common built-in speakers.
- Optional preparation (camera not included) for a camera.
- House number approximately 70mm high (max. 3 digits) with energy-saving LED lighting 12V DC approx. 50mA / 1W, white.
- Optionally interchangeable nameplate made of stainless steel with laser engraving or nameplate made of plexiglass.
- 8-12V DC short-stroke doorbell button with LED ring lighting (blue, white, red, or green). The lighting of the doorbell button cannot be powered by the control unit. It must be connected to an additional power supply of 8-12 V DC.
- Optional 8-12V DC short-stroke light button with icon available.
- Includes EVN LED power supply / transformer IP65 12V/DC 0.1−4W for LED lighting (house number, doorbell button and nameplate if chosen).
- High-quality lever lock including 2 keys with key number.
- The rear access door with opening limiter opens from top to bottom, preventing your mail from falling out.
- Front insertion with high-quality axle dampers for very quiet mail insertion.
- DIN/EN 13724 compliant mailbox, insertion size (3.5 cm x 32.5 cm) for C4 width – large letters remain intact. Additional retrieval protection made of stainless steel integrated.
- Optimal weather protection through a recessed panel.
- Double-box system: The panel can be conveniently installed after the completion of construction works and can be exchanged at any time.
- The fully welded support column is made of 2mm stainless steel V2A 1.4301, powder-coated in the colour of choice. The construction height is 1.70 m.
- Invisible cable entry through the body is possible.
- The column is equipped with a base plate made of VA. This is 10 mm thick and is refined with a cover panel. This conceals the mounting dowels.

Important Information:

To achieve optimal water protection for your mail, it is advisable to place the mailbox or mailbox system under a canopy if possible.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Mail is only protected from water if it is completely placed inside the box and the insertion flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the mailbox. This system is protected against water ingress according to DIN EN 13724. Water entry is not a valid reason for complaint.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GRIMM
Number of bell push buttons	1 button
Functions	Light button, Camera, Intercom, Fingerprint, Keypad
Functional box prepared for manufacturer	LOXONE, GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, HHG, HIKVISION, PCS, Sesam, ekey, Comelit, Schneider Intercom / COMMEND, Mobotix
Name labelling	Laser-cut engraving, Nameplate, Laser-engraved , Illuminated laser-cut engraving
Mounting type	Free-standing
Material	Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
House number	House number as laser engraving, House number as laser cut, illuminated
Number of boxes	with 1 letterbox
Boxes by volume	Large > 16 litres
Removal of mail	On the back

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions


Height of single box in mm	Outer dimensions 750.0 | Installation dimensions 710.0
Width of single box in mm	Exterior dimensions 450.0 | Installation dimensions 410.0
Capacity in litres	26.0
Height of letterbox slot in mm	35.0
Width of letter slot in mm	325.0
Height of letterbox in mm	External dimension 750.0 | Installation dimension 710.0
Width of letterbox system in mm	External dimensions 450.0 | Installation dimensions 410.0
Overall height in mm	1700.0
Total width in mm	Korpus 490.0 | Base plate 580.0
Depth in mm	Korpuss 150.0 | Base plate 242.0
Weight in kg	65
Delivery condition	Delivery is made assembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing




More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618