20-unit 7x3 surface-mounted mailbox system Design BASIC 385A AP - stainless steel RAL 7016 anthracite | 300x110x385 mm (WxHxD) - ?? Normal 12 litres | BI-Color brushed stainless steel | RAL 7016 anthracite grey | with 20 mailboxes



Product number 385A-7016VA-20W

Product description

Wide surface-mounted mailbox system BASIC 385A for 20 households – BI-Color RAL 7016 / Stainless steel

The BASIC 385A surface-mounted mailbox system for 20 households is a robust wall-mounted solution for larger apartment buildings, residential complexes and commercial properties. The wider W configuration distributes the compartments across a multi-column front and keeps the overall installation lower and more compact in proportion.

The BI-Color version combines anthracite grey powder-coated mailbox bodies with brushed stainless steel V2A elements. The material contrast gives the BASIC system a high-quality, modern appearance.

Each compartment measures 300 × 110 × 385 mm (W × H × D) and offers approx. 12 litres of volume. The 35 × 265 mm insertion opening is designed for DIN C4 items in portrait orientation. The doors open from left to right; each mailbox is supplied with two keys bearing a key number and a replaceable nameplate located beneath the insertion flap.

The advantages of the BASIC 385A surface-mounted system at a glance

Weather canopy and side panels

Weather canopy and side panels unite the individual compartments into a continuous surface-mounted installation. The coordinated cladding provides a calm front and a neat finish at the façade.

DIN C4 insertion and 12 litres of volume

The 300 × 110 × 385 mm (W × H × D) compartments each provide approx. 12 litres of volume. The 35 × 265 mm insertion opening also accepts larger DIN C4 items in portrait orientation.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Quiet insertion and secure allocation

The rubber lip damps the insertion flap. Robust locks, two keys with key number and protected replaceable nameplates ensure clear individual allocation of the compartments.

Mounting rail for wall installation

The surface-mounted system is designed for direct façade mounting. A mounting rail simplifies installation; fixings (screws and wall plugs) are included in the specified configuration.

BI-Color in anthracite and stainless steel

RAL 7016 Anthracite grey fine-textured matt is combined with brushed stainless-steel accents to create a striking material contrast. The system is manufactured in Germany by the Briefkasten Manufaktur.

Equipment of the BASIC 385A mailbox system

Mailbox system

Number of mailboxes 20 individually lockable compartments
Single compartment 300 × 110 × 385 mm (W × H × D)
Volume Approx. 12 litres per compartment
Material BI-Color: galvanised steel in RAL 7016 with stainless steel V2A accents
Finish RAL 7016 Anthracite grey fine-textured matt / stainless steel V2A brushed
Standard DIN EN 13724

Mail and operation

Insertion opening 35 × 265 mm, suitable for DIN C4 portrait
Insertion flaps With noise-damping rubber lip
Mail removal From the front
Door opening Opens from left to right
Keys 2 keys with key number per mailbox
Nameplate Replaceable nameplate beneath the insertion flap

Cladding and wall installation

Side cladding Close-fitting design
Weather canopy Solid, matching design
Type of installation Surface-mounted wall installation
Installation aid Mounting rail
Fixings Screws and wall plugs included; suitability for the wall construction on site must be checked
Manufacture Made in Germany by Briefkasten Manufaktur Lippe

Note on wall installation

The wall must be even and sufficiently load-bearing. The supplied screws and wall plugs should only be used if they are suitable for the existing wall construction; for other substrates or external thermal insulation composite systems (ETICS) appropriate fixing solutions must be determined on site.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Note on weather protection

Mail is best protected from moisture and dirt only when items are fully inserted and the insertion flap is closed. Protruding letters or magazines may prevent the flap from closing completely.

Product properties

Material	Steel, galvanised, Stainless steel V2A 1.4301
Series	BASIC
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Surface/colour	RAL 7016 anthracite grey, Brushed
Number of boxes	with 20 letterboxes
Removal of mail	On the front
Mounting type	Surface-mounted

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimensions

Height of single box in mm	110.0
Width of single box in mm	300.0
Capacity in litres	12
Height of letterbox slot in mm	35.0
Width of letter slot in mm	265.0
Height of letterbox in mm	770.0
Width of letterbox system in mm	900.0
Total width in mm	465.0
Depth in mm	435.0
Weight in kg	95
Delivery condition	Delivered partially assembled.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Dimension drawing



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

More images









Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618







Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618