

# Stainless steel letterbox column designer model BIG - rear removal - RAL of your choice - DoorBird video intercom system

**Product number** 599RB-VAR-KSDB



## Product description

### Stainless steel letterbox column designer model BIG - rear removal - RAL colour of your choice - DoorBird video intercom system

High-quality manufactured letterbox pillar with rear removal of the brand Briefkasten Manufaktur completely made of stainless steel, powder-coated in RAL colour in extra large format. Integrated DoorBird IP video door station D2100E or D1100E. The DoorBird IP Video Door Station D2100E or D1100E is the smart solution for your entrance door. The IP video door station can be operated as a stand-alone unit or integrated into an existing smart home platform. Existing, classic installations such as a door chime or an electric door and gate opener can also continue to be used with DoorBird and controlled via the app.

This is a real eye-catcher among letterboxes. Clean lines and no-frills design characterise the designer letterbox. Our products have a high quality, reliable functionality and their own identity. Made by Briefkasten Manufaktur. The DoorBird was not only invented and developed in Germany, but is still produced in Berlin today. At DoorBird, "Made in Germany" is not just a seal, but a philosophy that is lived and breathed. The IP video door stations are manufactured in the DoorBird factory to guarantee the highest quality, durability and customer satisfaction.

- The letterbox module is made of 2mm stainless steel V2A 1.4301, powder-coated in RAL colour.
- Rear mail removal door 240 mm x 300 mm, opens from top to bottom. Incl. 2 keys with key number.
- Mail slot from the front, dimensions: W 35 cm x H 6.3 cm, C4 landscape. Very large letters fit in here without creasing.
- The pillars are fitted with modules that can be replaced at a later date.
- Optionally with house number, backlit in white incl. EVN LED power supply unit / transformer IP65 12V/DC 0.1-4W for LED illumination of the house number.
- The fully welded pedestal is made of 2mm stainless steel V2A 1.4301, powder-coated in RAL colour. Construction height is 1.70 m.
- Invisible cable feed through the body is possible.
- The pedestal is fitted with a VA base plate. This is 10 mm thick and is finished with a cover plate. This conceals the fixing plugs.
- Incl. DoorBird IP video door station D2100E or D1100E installed.

## Important information

### Camera or intercom preparation

**The intercom systems must be connected by an electrician. Please contact your trusted electrician for planning, fitting and installation.**

### Water protection

To achieve optimum water protection for your mail, the letterbox or letterbox system should be located under a canopy if possible. If you install this system completely free-standing, we recommend using a rain canopy. Tight-fitting self-adhesive rain cover enclosed.

The mail is only protected from water if it is fully inserted in the box and the flap is closed. Mail that is not fully inserted allows moisture and dirt to penetrate the letterbox. It is therefore necessary to plan sufficiently dimensioned letterboxes for the upcoming requirements. Under certain extreme weather conditions, water can still enter (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.

## Product properties

<b>Surface/colour</b>	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), Brushed, RAL 9007 grey aluminium, RAL 9016 traffic white
<b>Series</b>	DESIGNER
<b>Connection technology</b>	LAN
<b>Number of bell push buttons</b>	1 button
<b>Functions</b>	Newspaper compartment, Camera, Intercom, Fingerprint
<b>Functional box prepared for manufacturer</b>	DoorBird
<b>Name labelling</b>	Laser-cut engraving, Nameplate
<b>Mounting type</b>	Free-standing
<b>Material</b>	Stainless steel V2A 1.4301
<b>House number</b>	House number as laser cut, illuminated
<b>Number of letterboxes</b>	with 1 letterbox
<b>Boxes by volume</b>	Large > 16 litres
<b>Removal of mail</b>	On the back

## Dimensions

<b>Height of single box in mm</b>	710,0   750,0
<b>Width of single box in mm</b>	410,0   450,0
<b>Capacity in litres</b>	31
<b>Height of letterbox slot in mm</b>	63,0
<b>Width of letter slot in mm</b>	350,0
<b>Overall height in mm</b>	1700,0
<b>Total width in mm</b>	490.0 (base plate 580.0)
<b>Depth in mm</b>	150.0 (footplate 240.0)
<b>Weight in kg</b>	65
<b>Delivery condition</b>	Delivery is assembled

## More images





