

Design flush-mounted letterbox GRIMM - polished stainless steel - GIRA System 106 - 3-gang prepared | Gira System 106 prepared | Top | Stainless steel, ground | Flush-mounted

Product number 562-UP-SPO-1-VA-GI106V



Product description

Design letterbox GRIMM® - A masterpiece of the letterbox manufactory

The GRIMM flush-mounted designer letterbox combines modern design with first-class workmanship - ideal for discerning building owners and architects who are looking for an elegant solution for integrating the Gira System 106. Manufactured from high-quality stainless steel and completely "Made in Germany" by the letterbox manufacturer Lippe, this model stands for durability, functionality and a stylish look. The polished front panel made of 2 mm stainless steel V2A (1.4301) impresses with its timeless appearance and high corrosion resistance. The flush-mounted design enables seamless integration of up to three GIRA 106 system modules (not included) via a sophisticated mounting system. The optional surface-mounted housing (5503910) is required for mounting the Gira components.

The GRIMM® letterbox is not only a visual highlight, but also at the forefront in terms of functionality and quality. Made by Briefkasten Manufaktur, it stands for maximum value and reliability. Thanks to the innovative push-key lock, the letterbox can be closed easily and conveniently - even without the use of a key. The lock is optimally protected against the weather.

The letterbox also features an intelligent removal system: the door opens from top to bottom, ensuring that the mail remains securely in the box and cannot fall out. It can also be conveniently inserted from the front, with high-quality axle dampers ensuring that the flap closes gently. Thanks to the DIN/EN 13724 standard, the GRIMM is ideal for large letters in C4 format, which can be inserted without creasing. The GRIMM® letterbox impresses with its durable quality, timeless design and sophisticated functionality. The GRIMM® letterbox combines sophisticated design with modern technology and creates a stylish and functional entrance area. Opt for durability and top quality - with a letterbox that blends in perfectly with your architecture while offering optimum protection for your mail.

Thanks to the double box system, the flush-mounted box can be installed during the shell construction phase, while the front panel is only fitted once the construction work is complete - for maximum flexibility and protection. The plaster box is made of 1.4016 stainless steel and has pre-punched cable inlets on all sides to allow easy electrical installation.

- High-quality letterbox made entirely of stainless steel for flush mounting.
- Front panel made of 2 mm stainless steel V2A 1.4301, polished.
- Quality production - Made in Germany by Briefkasten Manufaktur Lippe.
- The Gira System 106 can be used seamlessly in a flush-mounted design. The preparation is intended for 3 GIRA 106 system modules. The modules can be flush-mounted using the simple mounting system (surface-mounted housing 5503910 required!). WITHOUT GIRA system components!
- Innovative push-key lock including 2 keys with key number, convenient locking without key, optimally protected from the weather.
- The removal door with opening limiter opens from top to bottom to prevent mail from falling towards you.
- Front mail slot with high-quality axle dampers for very quiet mail insertion.
- DIN/EN 13724-compliant letterbox, insertion size (3.5 cm x 32.5 cm) for C4 landscape - even large letters remain intact. Additional stainless steel removal protection integrated.
- Optimum weather protection thanks to offset cover.
- Double box system: Ideal for flush mounting. The cover can be easily installed once the construction work is complete.
- Plaster box made of stainless steel 1.4016 (rustproof, magnetic stainless steel) with pre-punched cable inlets on all sides.

Important information:

To achieve optimum water protection for your mail, the letterbox or letterbox system should be located under a canopy if possible.

The mail is only protected from water if it is completely placed in the box and the flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the letterbox. This system is protected against the ingress of water in accordance with DIN EN 13724. Water ingress is not a reason for complaint.


Product properties

Series	GRIMM
Functions	Camera, Intercom, Fingerprint, Keypad
Functional box prepared for manufacturer	GIRA
Material	Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
Removal of mail	On the front
Number of letterboxes	with 1 letterbox
Surface/colour	Brushed
Boxes by volume	Large > 16 litres
Mounting type	Flush-mounted

Dimensions

Height of single box in mm	460,0
Width of single box in mm	410,0
Capacity in litres	26,0
Height of letterbox slot in mm	35,0
Width of letter slot in mm	325,0
Height of letterbox in mm	Außenmaß 750,0 Einbaumaß 710,0
Width of letterbox system in mm	Außenmaß 450,0 Einbaumaß 410,0
Depth in mm	150,0
Weight in kg	19
Delivery condition	Lieferung erfolgt montiert

Drawing



More images



