

# Stainless steel parcel letterbox design BASIC Plus 385XW with parcel compartment 550x300 for side wall mounting - RAL of your choice

**Product number** 385XW-PK550-1S



## Product description

### Stainless steel parcel letter box design BASIC Plus 385XW with parcel compartment 550x300 for side wall mounting - RAL of your choice

Modern stainless steel letterbox system with parcel compartment for side wall mounting - made in Germany by Briefkasten Manufaktur.

Parcel receipt independent of delivery person! Any parcel deliverer (e.g. DHL, DPD, TNT, GLS, Hermes, etc.) can use this parcel box. This parcel box is particularly suitable for large but few (usually 1 parcel per day) parcel deliveries.

The letter box is made of stainless steel V2A 1.4301, powder-coated in RAL colour, the fastening elements are made of weather-resistant stainless steel V2A 1.4301, 240 grit polished. The very high-quality workmanship and the well thought-out concept make this letterbox system our top seller. A rain drainage edge for optimum water protection, a throw-in flap with rubber lip, the solid interchangeable nameplate and the robust lock characterise this free-standing letterbox. This letterbox is easy to clean and robust.

The letterbox systems in the BASIC Plus collection are characterised by the consistent use of V2A stainless steel. The result is a very long service life and sustainability. The design has been developed by our own engineers with a view to high flexibility and modularity, simple spare parts assembly and uncomplicated self-assembly. Spare parts are directly available for all BASIC Plus systems.

- Letterbox made of stainless steel V2A 1.4301 for side wall mounting.
- The system is manufactured by Briefkasten Manufaktur. German quality production "Made in Germany".
- Parcel compartment 300x550x385 mm (WD) incl. parcel lock with snap-in catch. Including stainless steel laser labelling "PAKET".
- The letterbox made of stainless steel V2A 1.4301, powder-coated in RAL/DB colour complies with DIN/EN 13724. Insertion size (3.5 cm x 26.5 cm) for C4 high, large letters also fit in here without creasing.
- Insertion flaps with sound-absorbing rubber lip for very quiet insertion of mail.
- The door can be opened from left to right.
- Incl. 2 keys with key number and changeable name plate under the flap.
- Incl. close-fitting side cladding + rain cover made of stainless steel V2A 1.4301, powder-coated in RAL colour.
- Optional house number labelling, lasered approx. 100-150 mm high.
- The mounting pillars are made of 60.3 mm stainless steel V2A 1.4301, 240 grit polished for screw mounting on the house wall.

#### Important information:

The post is only protected from moisture and dirt when it is fully inserted and the flap is closed. Under certain extreme weather conditions, water can still get in (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.

**Ideally, side systems should be installed using bolt anchors, which are not included in the scope of delivery! The bolt anchors or hanger bolts should be selected by the installer according to the wall conditions.**


## Product properties

<b>Surface/colour</b>	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
<b>Series</b>	BASIC
<b>Functions</b>	Parcel compartment
<b>Number of boxes</b>	with 1 parcel box, with 1 letterbox
<b>Boxes by volume</b>	Normal > 10 litres
<b>Name labelling</b>	Nameplate
<b>Material</b>	Stainless steel V2A 1.4301
<b>House number</b>	House number as laser engraving
<b>Removal of mail</b>	On the front
<b>Mounting type</b>	Surface-mounted

## Dimensions

<b>Height in mm</b>	820
<b>Height of single box in mm</b>	BK 110.0   PK 550.0
<b>Width of single box in mm</b>	300,0
<b>Capacity in litres</b>	BK 12.0   PK 62.0
<b>Height of letterbox slot in mm</b>	35,0
<b>Width of letter slot in mm</b>	265,0
<b>Height of letterbox in mm</b>	660,0
<b>Width of letterbox system in mm</b>	300,0
<b>Total width in mm</b>	400,0
<b>Depth in mm</b>	435,0
<b>Weight in kg</b>	21
<b>Delivery condition</b>	Supplied in blocks, stand elements / letterbox divided

## Drawing



## More images

