

Design letterbox pillar GRIMM - colour of your choice with DoorBird video intercom left | Left | DoorBird | ? Colour of your choice

Product number 562-STLPK-SPL-SF-DB



Product description

Design letterbox parcel pillar GRIMM with DoorBird video intercom - The premium solution for post & parcels

The GRIMM designer letterbox pillar combines modern design, high-quality workmanship and maximum flexibility. Made from 2 mm V2A stainless steel and powder-coated in a colour of your choice, the pillar impresses with its timeless elegance and extreme robustness. Thanks to the fully welded construction, there are no visible screws or rivets, creating a particularly elegant appearance. The letterbox and parcel box module is also fitted with invisible screws - for an elegant look at the highest level.

Particularly practical: the modules can be replaced even after many years. This means that your letterbox parcel post remains flexible and future-proof at all times. This model is **manufactured by Briefkasten Manufaktur in Bad Salzuflen** - quality work "Made in Germany".

A special feature of the system is the tried-and-tested mechanical parcel lock with T-handle, which enables delivery without a delivery person: the delivery person places the parcel in the open compartment and locks it with a simple click. The compartment remains locked until the authorised user opens it with their key. A clever solution - without electronics, without an app, but with maximum security. Whether DHL, UPS, DPD, GLS, Hermes or TNT - any parcel service can use the parcel box. This allows you to receive your parcels securely and conveniently at any time, even when you are not at home.

At the centre of this system is the DoorBird IP Video Door Station D2100E or D1100E, which can be optimally integrated into modern smart home solutions. It offers live video transmission, intercom function and mobile control via the DoorBird app. Whether at home or on the move - you can see and speak to visitors at your front door at any time using your smartphone. Classic components such as doorbells, electric door openers or gate operators can be easily integrated and controlled via the system.

The GRIMM letterbox is not only a visual highlight, it is also at the forefront in terms of functionality and quality. Thanks to the innovative push-key lock, the letterbox can be operated easily and conveniently with one hand. Open the door with one push and close the door without using a key. The lock is optimally protected from the weather. The letterbox also offers an intelligent removal system: the door opens from top to bottom, ensuring that the mail remains securely in the box and cannot fall towards you. It can also be conveniently inserted from the front, with high-quality axle dampers ensuring that the flap closes gently.

Thanks to the DIN/EN 13724 standard, the GRIMM is ideal for large letters in C4 format, which can be inserted without creasing. The GRIMM letterbox impresses with its durable quality, timeless design and sophisticated functionality.

Letterbox module with function box - convenience and functionality



- Manufactured from 2 mm stainless steel V2A _1.4301, powder-coated in the colour of your choice.
- Integrated DoorBird IP video door station modern door communication with your mobile phone. Compatible with many smart home systems & existing building technology.
- Innovative push-key lock including 2 keys with key number, convenient locking without a key, optimally protected from the weather.
- The removal door with opening limiter opens from top to bottom to prevent mail from falling towards you.
- Front mail slot with high-quality axle dampers for very quiet mail insertion.
- DIN/EN 13724-compliant letterbox, insertion size (3.5 cm x 32.5 cm) for C4 landscape even large letters remain intact. Additional stainless steel removal protection integrated.
- Optimum weather protection thanks to offset cover.
- Double box system: The cover can be easily installed after completion of the construction work and replaced at any time.

Parcel box module - secure and spacious

- Manufactured from 2 mm stainless steel V2A _1.4301, powder-coated in the colour of your choice.
- Parcel volume: 130 litres ideal for large consignments.
- Maximum parcel dimensions: 505 x 655 x 340 mm (W x H x D).
- Front parcel removal door 510 x 660 mm, opens from left to right.
- Door fitted with durable stainless steel hinges.
- Innovative T-handle parcel lock with snap-in catch.
- Includes 2 keys with key number.
- "PAKET" pictogram as stainless steel laser labelling.

Construction & details

- Fully welded upright made of 2 mm stainless steel V2A 1.4301, powder-coated in the colour of your choice.
- Overall height: 1.70 m.
- Invisible cable feed possible through the body.
- Base plate made of stainless steel (10 mm thick), concealed by elegant cover panel.
- No visible screws or rivets seamless design.
- Modules can be replaced even years later maximum future-proofing.

Important information:

To achieve optimum water protection for your mail, the letterbox or letterbox system should be located under a canopy if possible.

The mail is only protected from water if it is fully inserted in the box and the flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the letterbox. This system is protected against the ingress of water in accordance with DIN EN 13724. Water ingress is not a reason for complaint.



Product properties

Surface/colour RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of

your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white

SeriesGRIMMConnection technology2-wire, LANNumber of bell push1 button

buttons

Functions Camera, Intercom, Fingerprint, Keypad, Motion detector, Parcel compartment

Functional box prepared for

manufacturer

DoorBird

Number of boxes with 1 parcel box, with 1 letterbox

Mounting type Free-standing

Material Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)

House number House number as laser engraving

Name labellingLaser-engravedRemoval of mailOn the frontBoxes by volumeLarge > 16 litres

Dimensions

 Height of single box in mm
 Letterbox 460.0 | 500.0 - Parcel box 710.0 | 750.0

 Width of single box in mm
 Letterbox 560.0 | 600.0 - Parcel box 560.0 | 600.0

Capacity in litres Letterbox 26.0 | Parcel box 130.0

Height of letterbox slot in mm 35,0 Width of letter slot in mm 325,0 Overall height in mm 1700,0


Total width in mmBody 640.0 | Base plate 730.0Depth in mmBody 352.0 | Base plate 442.0

Weight in kg 95

Delivery condition Delivery is assembled



Drawing





More images













