

Security letterbox type 124 monoform + transfers - polished stainless steel

Product number 618



Product description

Security letterbox type 124 monoform + transfers - polished stainless steel

The security letterbox type 124 monoform + transfers is specially designed for professional use - for example in banks and savings banks - and combines an elegant design with the highest security requirements. Manufactured from polished V2A stainless steel in a solid, robust design (2.5 mm body / 4 mm door), it meets demanding criteria for reliability, material quality and protection against unauthorised access.

Thanks to the use of V2A stainless steel with a material thickness of 2.5 mm in the body and 4 mm in the door, the letterbox offers significantly greater resistance than standard solutions. Additional security measures such as toothed plates, steel pins and a specially designed transfer slot with an internal taper and hinged rake make it virtually impossible to pull back inserted documents. This robust design ensures that sensitive bank documents, valuables and customer mail in particular are reliably protected - a clear advantage for financial institutions with high security requirements.

Use in the banking sector

Even in times of online banking, the secure posting of physical documents in banks remains relevant. The type 124 Monoform + transfers is specially designed for the **secure posting of transfer documents, contracts, authorisations and keys**. Such solutions are still used in bank branches and self-service zones, where customers can hand over documents discreetly and securely.

The separate transfer slot enables clear separation - an advantage when it comes to securely accepting sensitive documents outside of opening hours.

Advantages for banks and financial institutions

- Secure insertion of forms, contracts, receipts and keys
- High tamper protection thanks to solid stainless steel construction
- Transfer slot with taper and hinged rake prevents access from outside
- Replaceable profile half cylinder (e.g. ABUS 30/10) integration into locking systems possible
- Easy-care, corrosion-resistant surface made of polished stainless steel
- Representative design to match modern bank architecture

Design, quality and sustainability

The **polished stainless steel surface** gives the letterbox a timeless elegance and blends in harmoniously with modern or classic architecture. V2A stainless steel offers excellent corrosion protection, is easy to clean and fully recyclable - a material that combines quality, functionality and sustainability in the best possible way.

Manufactured in Germany, the type 124 Monoform combines **traditional craftsmanship** with **state-of-the-art metalworking**. The result is a durable, secure and aesthetically pleasing letterbox for professional applications in the banking and finance sector.



Technical data

- Material: Stainless steel V2A (1.4301), polished
 Material thickness: 2.5 mm (body) / 4 mm (door)
- Insertion formats: up to DIN B4
- Security features: toothed plates and steel pins to prevent unauthorised removal
- Transfer slot: with inner taper and hinged rake
- Lock: ABUS profile half cylinder 30/10, interchangeable (e.g. for locking systems)
- Mounting type: Wall mounting
- Weight: approx. 14 kg

Important information:

To achieve optimum water protection for your mail, the letterbox or letterbox system should be located under a canopy if possible.

The mail is only protected from water if it is completely placed in the box and the flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the letterbox. This system is protected against the ingress of water in accordance with DIN EN 13724. Water ingress is not a reason for complaint.

Product properties

Material Stainless steel V2A 1.4301

Removal of mail On the front

Number of boxes with 1 letterbox

Surface/colour Brushed

Boxes by volume Large > 16 litres **Mounting type** Surface-mounted

Dimensions

Height of single box in mm 520,0 Width of single box in mm 340,0 Capacity in litres 12

Height of letterbox slot in mm up to 40.0
Width of letter slot in mm 260,0
Depth in mm 130,0
Weight in kg 14

Delivery condition Supplied fully assembled



More images









Briefkasten Manufaktur Lippe GmbH Werler Straße 60 32105 Bad Salzuflen

www.briefkasten-manufaktur.de info@briefkasten-manufaktur.de Tel.: +49 5222 807110 Geschäftsführer Oliver Woineck Ust.ID.Nr. DE303690847 Handelsregister Amtsgericht Lemgo, HRB 8618