Design surface-mounted letterbox GRIMM - polished stainless steel with DoorBird video intercom system | DoorBird | Top | Stainless steel, ground | Surface-mounted

Product number 562-AP-SPO-1-VA-DB



Product description

Design letterbox ^{GRIMM®} with DoorBird video intercom - A masterpiece of letterbox manufacturing

At the centre of this system is the DoorBird IP Video Door Station D2100E or D1100E, which can be optimally integrated into modern smart home solutions. It offers live video transmission, intercom function and mobile control via the DoorBird app. Whether at home or on the move - you can see and speak to visitors at your front door at any time using your smartphone. Classic components such as doorbells, electric door openers or gate operators can be easily integrated and controlled via the system.

Thanks to the DIN/EN 13724 standard, the GRIMM is ideal for large letters in C4 format, which can be inserted without creasing. The GRIMM® letterbox impresses with its durable quality, timeless design and sophisticated functionality.

Briefkasten Manufaktur Lippe GmbH Werler Straße 60 32105 Bad Salzuflen www.briefkasten-manufaktur.de info@briefkasten-manufaktur.de Tel.: +49 5222 807110



- High-quality letterbox made entirely of stainless steel for surface mounting.
- Front panel made of 2 mm stainless steel V2A 1.4301, polished.
- Quality production Made in Germany by Briefkasten Manufaktur Lippe.
- Integrated DoorBird IP video door station modern door communication with your mobile phone. Compatible with many smart home systems & existing home technology.
- Innovative push-key lock including 2 keys with key number, convenient locking without a key, optimally protected from the weather.
- The removal door with opening limiter opens from top to bottom to prevent mail from falling towards you.
- Front mail slot with high-quality axle dampers for very quiet mail insertion.
- DIN/EN 13724-compliant letterbox, insertion size (3.5 cm x 32.5 cm) for C4 landscape even large letters remain intact. Additional stainless steel removal protection integrated.
- Optimum weather protection thanks to offset cover.
- Double box system: Ideal for surface mounting. The cover can be easily installed once the construction work is complete.
- Surface-mounted box made of 2 mm stainless steel V2A 1.4301, polished.

Important information:

To achieve optimum water protection for your mail, the letterbox or letterbox system should be located under a canopy if possible.

The mail is only protected from water if it is fully inserted in the box and the flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the letterbox. This system is protected against the ingress of water in accordance with DIN EN 13724. Water ingress is not a reason for complaint.

Product properties


GRIMM
2-wire, LAN
1 button
Camera, Intercom, Fingerprint, Keypad
DoorBird
Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
House number as laser engraving, House number as laser cut, illuminated
Laser-engraved
On the front
with 1 letterbox
Brushed
Large > 16 litres
Surface-mounted

www.briefkasten-manufaktur.de info@briefkasten-manufaktur.de Tel.: +49 5222 807110

Dimensions

Height of single box in mm 460	0,0
Width of single box in mm 410),0
Capacity in litres 26,0	D
Height of letterbox slot in mm 35,0	C
Width of letter slot in mm325	5,0
Height of letterbox in mm 760),0
Width of letterbox system in mm 460),0
Depth in mm 150),0
Weight in kg 29	
Delivery condition Del	ivery is assembled

Drawing



Briefkasten Manufaktur Lippe GmbH Werler Straße 60 32105 Bad Salzuflen www.briefkasten-manufaktur.de info@briefkasten-manufaktur.de Tel.: +49 5222 807110



More images




www.briefkasten-manufaktur.de info@briefkasten-manufaktur.de Tel.: +49 5222 807110






www.briefkasten-manufaktur.de info@briefkasten-manufaktur.de Tel.: +49 5222 807110







www.briefkasten-manufaktur.de info@briefkasten-manufaktur.de Tel.: +49 5222 807110