

# 2er 1x2 surface-mounted letterbox BASIC 382A AP with newspaper compartment - stainless steel RAL 7016 anthracite grey | with 2 letterboxes (2x1) | Bi-colour polished stainless steel | RAL 7016 anthracite grey

**Product number** 382A-7016VA-2W-ZFVA



## Product description

### 2er 1x2 surface-mounted letterbox BASIC 382A AP with newspaper compartment - stainless steel RAL 7016 anthracite grey

High-quality surface-mounted letterbox for 2 parties made in Germany by Briefkasten Manufaktur.

The letterboxes are made of galvanised steel, powder-coated in anthracite grey RAL 7016 fine structure matt, the newspaper compartments & insertion flaps are made of stainless steel V2A, polished. The very high-quality workmanship and the well thought-out concept make this letterbox our top seller. A rain drainage edge for optimum water protection, a double-edged throw-in flap with rubber buffer, the solid interchangeable nameplate, a practical post holder and the very robust lock characterise this letterbox. This high-quality surface-mounted letterbox is only available from us.

Thanks to the design, self-assembly is straightforward.

- 2-piece surface-mounted letterbox system with letterboxes made of galvanised sheet steel, powder-coated in RAL anthracite grey 7016 fine structure.
- The system is manufactured by Briefkasten Manufaktur. German quality production "Made in Germany".
- The letterboxes comply with DIN/EN 13724. Insertion size (3.5 cm x 32.5 cm) for C4 landscape, large letters also fit in here without creasing.
- Insertion flaps made of V2A stainless steel, polished with noise-absorbing rubber buffers for very quiet insertion of mail.
- The doors can be opened from left to right.
- Incl. 2 keys with key number, changeable name plate under the flap and post holder per letterbox.
- Newspaper compartments, open on both sides, made of V2A stainless steel, polished. Dimensions: 355x100x100mm.
- Incl. rain cover made of stainless steel V2A 1.4301, powder-coated in RAL anthracite grey 7016 fine structure.
- For wall mounting incl. fixing material (screws + dowels).

#### Important information:

The post is only protected against moisture and dirt when it is fully inserted and the flap is closed. Under certain extreme weather conditions, water can still enter (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.

## Product properties

<b>Material</b>	Steel, galvanised, Stainless steel V2A 1.4301
<b>Series</b>	BASIC
<b>Functions</b>	Newspaper compartment
<b>Boxes by volume</b>	Normal > 10 litres
<b>Name labelling</b>	Nameplate
<b>Surface/colour</b>	RAL 7016 anthracite grey, Brushed
<b>Number of letterboxes</b>	with 2 letterboxes
<b>Removal of mail</b>	On the front
<b>Mounting type</b>	Surface-mounted

## Dimensions

<b>Height of single box in mm</b>	330,0
<b>Width of single box in mm</b>	355,0
<b>Capacity in litres</b>	12
<b>Height of letterbox slot in mm</b>	35,0
<b>Width of letter slot in mm</b>	325,0
<b>Height of letterbox in mm</b>	430,0
<b>Depth in mm</b>	100,0
<b>Weight in kg</b>	18

## More images



