

Stainless steel letterbox pillar Designer BIG - RAL of your choice - GIRA System 106 - Video intercom - VIDEO complete set | Right

Product number 599BPK-VAR-KSVGI106-R



Product description

Stainless steel letterbox pillar Designer BIG - RAL colour of your choice - GIRA System 106 - Video intercom - VIDEO complete set

Modern stainless steel pillar made of 2 mm stainless steel V2A 1.4301, powder-coated in RAL colour of your choice. The pillar is fully welded, so no rivets or screws are visible. The letterbox module and the parcel box module are also inserted into the pillar with invisible screws. The letterbox and parcel box modules are also made of 2 mm stainless steel V2A 1.4301, powder-coated in RAL colour and can be replaced with new modules even after many years. Seamlessly integrated Gira System 106 in flush-mounted design. 3 GIRA system modules are included, so the letterbox can be used directly. The matching GIRA home station and the control unit to complete this letterbox are included. The modules can be replaced at any time thanks to the simple mounting system. This letterbox pedestal with parcel box is manufactured by Briefkasten Manufaktur. Made in Germany, Bad Salzufen.

Parcel receipt independent of delivery person! Any parcel deliverer (e.g. DHL, UPS, DPD, TNT, GLS, Hermes, etc.) can use this parcel box.

- **Letterbox module made of 2 mm stainless steel V2A 1.4301, powder-coated in RAL colour of your choice**
- Front mail removal door 350 mm x 300 mm, opens from top to bottom. Incl. 2 keys with key number.
- Mail slot from the front, dimensions: W 35 cm x H 6.3 cm, C4 landscape. Very large letters fit in here without creasing.
- Mail slot flap with built-in damping elements, which allow the mail slot flap to close slowly and quietly.
- **Parcel box module made of 2 mm stainless steel V2A 1.4301, powder-coated in RAL colour of your choice**
- Parcel compartment volume: 130 litres, max. Parcel dimensions: 540 x 690 x 340 mm (WD). Ideal for large parcels, suitable for single use until the next emptying.
- Front parcel removal door 510 mm x 660 mm, opens from left to right. Incl. 5 keys with key number.
- The parcel removal door is fitted with high-quality stainless steel hinges for extremely long service life.
- Innovative parcel lock with snap-in catch.
- High-quality stainless steel laser labelling "PAKET".
- The letterbox and parcel box modules of this pedestal can also be replaced at a later date, so you always remain flexible.
- **The fully welded pedestal is made of 2 mm stainless steel V2A 1.4301, powder-coated in RAL colour**
- Overall height is 1.70 m.
- Invisible cable feed through the body is possible.
- The pedestal is fitted with a VA base plate. This is 10 mm thick and is finished with a cover plate. This conceals the fixing plugs.
- Optionally with laser-engraved house number.
- Incl. GIRA home station & control unit enclosed, System 106 door station module, info module & camera module installed.

GIRA

Gira System 106 camera module - 5561 000, installed without wiring

- A high-quality camera with high light sensitivity is concealed behind the replaceable black glass pane. Thanks to a detection angle of 100°, the user is always aware of what is happening outside his front door.

Info module Gira System 106 - 5560 920, installed

- For house numbers that need to be clearly visible.

Door station module Gira System 106 - 5565 920, installed without wiring

- Compact voice module with integrated call button for communication between inside and outside.
- A high-quality microphone and a weatherproof loudspeaker ensure good communication.
- Power supply via 2-wire bus. Additional connection for ZV (e.g. necessary from 3rd camera module).
- All other System 106 modules (except voice module) are supplied with power via the door station module.

Surface-mounted home station Gira Video 7 1209xx, enclosed

- Video home station with a 17.78 cm (7") TFT colour display and convenient hands-free function for surface mounting or wall mounting with flush-mounted device box or cavity wall box. Also suitable for placement on furniture with the optional stand (see accessories). A 32 GB SD memory card is included for internal image storage. Full-surface glass front with touch functionality and tactile feedback.

Video REG control device Gira 128800, enclosed

- Control device for supplying the audio and video components of the Gira door communication bus.
- Supply of the reverse-polarity protected and short-circuit-proof 2-wire bus when using video components such as colour camera, TFT colour display.
- Up to 2 door stations with colour camera and 28 home stations with TFT colour display can be supplied via the video control device.
- A total of up to 15 colour cameras can be controlled by the video control device (5 video door stations and 10 DCS camera gateways), of which two door stations with colour camera can be supplied with power by the video control device. The other colour cameras must each be operated with their own power supply for door communication.
- Self-resetting electronic short-circuit and overload detection of the operating voltages and the bus connection.
- Buttons for system and door opener programming.
- LED status indicators for operation, overload, system programming and door opener programming.
- AC 12 V output for supplying power to a standard electric strike.
- Relay output for switching an electric strike with its own power supply.
- Door opener switching time continuously adjustable from 1 to 10 s.

Important information

Camera or intercom preparation

The intercom systems must be connected by an electrician. Please contact your trusted electrician for planning, fitting and installation.

Water protection

To achieve optimum water protection for your mail, the letterbox or letterbox system should be located under a canopy if possible.

The mail is only protected from water if it is fully inserted in the box and the flap is closed. Mail that is not fully inserted allows moisture and dirt to penetrate the letterbox. It is therefore necessary to plan sufficiently dimensioned letterboxes for the upcoming requirements. In certain extreme weather conditions, water can still enter (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.


Product properties

Series	DESIGNER
Functions	Newspaper compartment
Functional box prepared for manufacturer	GIRA
Number of boxes	with 1 parcel box, with 1 letterbox
Mounting type	Free-standing
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Surface/colour	Brushed
Boxes by volume	Large > 16 litres

Dimensions

Height of single box in mm	BK 510.0 550.0 - PK 710.0 750.0
Width of single box in mm	BK 560.0 600.0 - PK 560.0 600.0
Capacity in litres	BK 31.0 PK 130.0
Height of letterbox slot in mm	63,0
Width of letter slot in mm	350,0
Overall height in mm	1700,0
Total width in mm	640.0 (base plate 730.0)
Depth in mm	352.0 (foot plate 442.0)
Weight in kg	95
Delivery condition	Delivery is assembled

Drawing



More images

