

# 5-piece surface-mounted letterbox system Design BASIC 385A AP with bell box - stainless steel RAL 7016 anthracite | Bi- colour polished stainless steel | RAL 7016 anthracite grey | Top | with 5 letterboxes

**Product number** 385A-7016VA-5-SP



## Product description

### 5-point surface-mounted letterbox system Design BASIC 385A AP with bell box - stainless steel RAL 7016 anthracite

Modern surface-mounted letterbox system for 5 parties made in Germany by Briefkasten Manufaktur.

The letterboxes are made of galvanised steel, powder-coated in anthracite grey RAL 7016, the flaps are made of weather-resistant stainless steel V2A, polished. This letterbox system is characterised by close-fitting side cladding with rain canopy and rain drainage channels for optimum water protection, a throw-in flap with rubber lip, the solid interchangeable nameplate and the robust lock. This letterbox is easy to clean and robust.

Thanks to the design, self-assembly is uncomplicated.

- **5-point surface-mounted letter box completely powder-coated in RAL 7016 anthracite grey fine structure matt**
- The system is manufactured by Briefkasten Manufaktur. German quality production "Made in Germany".
- The letterboxes made of galvanised steel, powder-coated in RAL 7016 anthracite grey fine structure matt, comply with DIN/EN 13724. Insertion size (3.5 cm x 26.5 cm) for C4 high, large letters also fit in here without creasing.
- Stainless steel insertion flaps, polished with sound-absorbing rubber lip for very quiet mail insertion.
- The doors can be opened from left to right.
- Incl. 2 keys with key number and changeable name plate under the flap for each letterbox.
- With close-fitting side panelling and rain cover in solid design.
- **Doorbell box made of galvanised steel, powder-coated in anthracite grey RAL 7016**
- Speech perforation with universal adapter. (Intercom system/ built-in loudspeaker not included in the scope of delivery).
- Universal adapter is suitable for all commercially available built-in loudspeakers (Siedle, Ritto, TCS, Busch-Jäger, Gira, Legrand Bticino, ELCOM, Auerswald, Comelit and many more).
- Round stainless steel bell push type 4, max. 250 V AC, 5 A.
- Anti-vandalism - The nameplate is indentation-proof and impact-resistant, the plastic is flame-retardant.
- For simple 1-2 person wall mounting with mounting rail incl. fixing material (screws + wall plugs).

#### Important information:

The post is only protected from moisture and dirt when it is fully inserted and the flap is closed. Under certain extreme weather conditions, water can still enter (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.


## Product properties

<b>Material</b>	Steel, galvanised, Stainless steel V2A 1.4301
<b>Series</b>	BASIC
<b>Number of bell push buttons</b>	5 buttons
<b>Functions</b>	Light button, Intercom
<b>Functional box prepared for manufacturer</b>	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
<b>Boxes by volume</b>	Normal > 10 litres
<b>Name labelling</b>	Nameplate
<b>Surface/colour</b>	RAL 7016 anthracite grey, Brushed
<b>Removal of mail</b>	On the front
<b>Number of boxes</b>	with 5 letterboxes
<b>Mounting type</b>	Surface-mounted

## Dimensions

<b>Height of single box in mm</b>	110,0
<b>Width of single box in mm</b>	300,0
<b>Capacity in litres</b>	12
<b>Height of letterbox slot in mm</b>	35,0
<b>Width of letter slot in mm</b>	265,0
<b>Height of letterbox in mm</b>	770,0
<b>Width of letterbox system in mm</b>	300,0
<b>Depth in mm</b>	435,0
<b>Weight in kg</b>	35
<b>Delivery condition</b>	Supplied fully assembled

## Drawing



## More images

