

Surface-mounted letterbox design BASIC 382A AP - 355x330x150 - RAL 9016 traffic white | RAL 9016 traffic white fine structure matt | 150mm depth | with 1 letterbox | Battery assembly (without roof and cladding)





#### Product description

### Surface-mounted letterbox design BASIC 382A AP - RAL 9016 traffic white

The surface-mounted letterbox is made of galvanised steel, powder-coated in RAL 9016 traffic white. The high-quality workmanship and well thought-out design make this letterbox our top seller. A rain drainage edge for optimum water protection, a throw-in flap with rubber lip, the solid interchangeable nameplate, a practical post holder and the very robust lock characterise this letter box. This high-quality surface-mounted letterbox is only available from us.

- Letter box made of galvanised sheet steel, powder-coated in RAL 9016 traffic white fine structure.
- The system is manufactured by Briefkasten Manufaktur. German quality production "Made in Germany".
- The letterbox complies with DIN/EN 13724. Insertion size (3.5 cm x 32.5 cm) for C4 landscape, large letters also fit in here without creasing.
- Insertion flap with sound-absorbing rubber lip for very quiet insertion of mail.
- The door can be opened from left to right.
- Incl. 2 keys with key number, changeable name plate under the flap and post holder.
- Large capacity thanks to optional letterbox depth +50 mm = approx. 17 litres. Suitable for companies and households with very high mail volumes.
- For wall mounting (incl. fixing material), optionally without rear perforation. Suitable for battery mounting without rain cover.

## **Product properties**

Material Steel, galvanised

Series BASIC
Name labelling Nameplate

House number House number as laser engraving

Removal of mail On the front

Number of boxes with 1 letterbox

Boxes by volume Large > 16 litres

Mounting type Surface-mounted

RAL 9016 traffic white



#### **Dimensions**

Height of single box in mm330,0Width of single box in mm355,0Capacity in litres12,0 | 17,0Height of letterbox slot in mm35,0Width of letter slot in mm325,0

**Depth in mm** 100,0 | 150,0

Weight in kg 5



# More images













