

Stainless steel video door station DESIGNER 529S Elegance I with DoorBird D1100E - polished stainless steel

Product number 529S-VA-KSDB1100-1



Product description

Stainless steel video door station DESIGNER 529S Elegance I with DoorBird D1100E - polished stainless steel

This simple yet elegant doorbell plate blends seamlessly into the building façade. The front plate made of stainless steel V2A 1.4301, 240 grain polished is mounted on a 5 mm stainless steel frame and stands out slightly from the house wall. Integrated DoorBird IP video door station D1100E. The DoorBird IP Video Door Station D1100E is the smart solution for your entrance door. The IP video door station can be operated as a stand-alone unit or integrated into an existing smart home platform. Existing, classic installations such as a door chime or an electric door and gate opener can also continue to be used with DoorBird and controlled via the app using a smartphone or tablet.

Our products have a high quality, reliable functionality and their own identity. Made by Briefkasten Manufaktur.

- Door station made of 2 mm stainless steel V2A 1.4301, 240 grain polished.
- Installation box made of 2 mm stainless steel V2A 1.4301, 240 grain polished.
- Doorbell plate dimensions W 160 mm x H 320 mm x D 8 mm.
- Installation box dimensions: W 130 mm x H 290 mm x D 50 mm
- Optionally for flush-mounted or surface-mounted installation.
- DoorBird IP video door station D1100E and call button (small D11X) installed.

Important information

Camera or intercom preparation

The intercom systems must be connected by an electrician. Contact your trusted electrician for planning, fitting and installation.

Water protection

To achieve optimum water protection, the door station should be located under a canopy if possible.


Product properties

Series	DESIGNER
Connection technology	2-wire, LAN
Number of bell push buttons	1 button
Functions	Camera, Intercom
Material	Stainless steel V2A 1.4301
House number	House number as laser engraving
Name labelling	Laser-engraved
Surface/colour	Brushed
Mounting type	Surface-mounted, Flush-mounted

Dimensions

Width in mm	130 160
Height in mm	290 320
Depth in mm	52,0
Weight in kg	4
Delivery condition	Delivery is assembled

Drawing



More images

