

Letterbox pedestal BASIC Plus 864X with parcel compartment 550x370 - RAL of your choice | without newspaper compartment | with 1 letterbox

Product number 864X-1



Product description

Letterbox column BASIC Plus 864X with parcel compartment - RAL of your choice

Modern letterbox pillar including parcel compartment - made in Germany by Briefkasten Manufaktur.

The letterbox pillar is made entirely of stainless steel V2A and aluminium, powder-coated in RAL colour. The very high-quality workmanship and the well thought-out concept make this letterbox pillar our top seller. A rain drainage edge for optimum water protection, a continuous rubber lip for quiet insertion, the solid interchangeable nameplate and the very robust lock characterise this letterbox pillar. The 6 mm thick side cladding with protruding aluminium rain cover offers optimum protection against the weather and guarantees a very long service life.

Receive parcels regardless of delivery person! Every parcel deliverer (e.g. DHL, DPD, TNT, GLS, Hermes, etc.) can use this parcel letterbox.

The letterbox systems in the BASIC Plus collection are characterised by the consistent use of V2A stainless steel and aluminium. The result is a very long service life and sustainability. The design has been developed by our own engineers with a view to high flexibility and modularity, simple spare parts assembly and uncomplicated self-assembly. Spare parts are directly available for all BASIC Plus systems.

- Letterbox pillar with parcel compartment made of stainless steel V2A 1.4301 and aluminium, powder-coated in RAL colour.
- The complete letterbox pillar has a modular design, so each component can be replaced or changed at any time.
- Parcel compartment 370x550x385 mm (WD) incl. parcel lock with snap-in catch. With high-quality stainless steel laser labelling "PAKET".
- Parcel compartment volume: 77 litres, max. Parcel size: 340 x 520 x 355 mm (WD).
- Letterbox 370x550x385 mm (WHT). Removal from the front, the removal door can be opened from left to right.
- Insertion C4 crosswise from the front, even large letters fit in here without creasing. Insertion flap with rubber lip.
- DIN EN 13724 compliant.
- Includes 2 keys with key number per individual box and 2-part flush-fitting name plate under the flap (without labelling).
- Optional high-quality stainless steel laser labelling. House number approx. 80-100mm high & name lettering approx. 25-40mm high.
- Screwed rear panel made of 2mm stainless steel V2A 1.4301, powder-coated.
- Side cladding and rain canopy made of 6mm aluminium, powder-coated.
- The pedestal is equipped with internal base plates made of 6 mm aluminium. This conceals the fixing plugs (not included, see accessories) for screw mounting.

Important information:

The post is only protected from moisture and dirt when it is fully inserted and the flap is closed. Under certain extreme weather conditions, water may still enter (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.

Briefkasten Manufaktur Lippe GmbH Werler Straße 60 32105 Bad Salzuflen www.briefkasten-manufaktur.de info@briefkasten-manufaktur.de Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck Ust.ID.Nr. DE303690847 Handelsregister Amtsgericht Lemgo, HRB 8618



Product properties

Surface/colour RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice

(according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white

Series BASIC

Functions Parcel compartment

Number of boxes

with 1 parcel box, with 1 letterbox

Mounting type Free-standing

Material Stainless steel V2A 1.4301

House number House number as laser engraving

Name labelling Laser-engraved Removal of mail On the front Boxes by Large > 16 litres

volume

Dimensions

Height of single box in mm BK 550.0 | PK 550.0

Width of single box in mm 370.0

Capacity in litres BK 77.0 | PK 77.0

Height of letterbox slot in mm 35,0 Width of letter slot in mm 325,0 Overall height in mm 1606,0 Total width in mm 382,0


Depth in mm 414.0 + 16.0 Rain roof


Weight in kg 58


Delivery condition Delivery is assembled



Drawing









More images



