

2-piece stainless steel surface-mounted letterbox design BASIC 382A AP with closed newspaper compartment | 150mm depth | with 2 letterboxes | Stainless steel, ground

Product number 382A-VA-2-ZFG-150



Product description

2-piece stainless steel surface-mounted letterbox design BASIC 382A AP with closed newspaper compartment

The surface-mounted letterbox BASIC with closed newspaper compartment, operated with a toggle lock.

The surface-mounted letterbox is made of stainless steel V2A 1.4301, polished. The very high-quality workmanship and the well thought-out concept make this letter box our top seller. A rain drainage edge for optimum water protection, a double-edged throw-in flap with rubber buffer, the solid interchangeable nameplate, a practical post holder and the very robust lock characterise this letterbox. This high-quality surface-mounted letterbox is only available from us.

- 2-party letterbox made of stainless steel V2A 1.4301, polished.
- The system is manufactured by Briefkasten Manufaktur. German quality production "Made in Germany".
- Newspaper compartment with door and toggle lock made of stainless steel V2A 1.4301, polished. Adhesive labelling "ZEITUNG" black. Dimensions: 355x165x100mm.
- The letterbox complies with DIN/EN 13724. Insertion size (3.5 cm x 32.5 cm) for C4 landscape, large letters also fit in here without creasing.
- Large capacity thanks to optional letterbox depth +50 mm = approx. 17 litres. Suitable for companies and households with very high mail volumes.
- Insertion flap with sound-absorbing rubber lip for very quiet mail insertion.
- The door can be opened from left to right.
- Incl. 2 keys with key number, changeable name plate under the flap and post holder.
- Incl. side panelling + rain cover made of stainless steel V2A 1.4301, 240 grain polished.
- For wall mounting (incl. fixing material).

Important information:

The post is only protected from moisture and dirt when it is fully inserted and the flap is closed. Under certain extreme weather conditions, water can still enter (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.


Product properties

| | |
|------------------------------|----------------------------|
| Series | BASIC |
| Functions | Newspaper compartment |
| Name labelling | Nameplate |
| Material | Stainless steel V2A 1.4301 |
| Number of letterboxes | with 2 letterboxes |
| Removal of mail | On the front |
| Surface/colour | Brushed |
| Boxes by volume | Large > 16 litres |
| Mounting type | Surface-mounted |

Dimensions

| | |
|--|--|
| Height of single box in mm | 330,0 |
| Width of single box in mm | 355,0 |
| Capacity in litres | 12,0 17,0 |
| Height of letterbox slot in mm | 35,0 |
| Width of letter slot in mm | 325,0 |
| Height of letterbox in mm | 495,0 |
| Width of letterbox system in mm | 710,0 |
| Depth in mm | 100,0 150,0 |
| Weight in kg | 18 |
| Delivery condition | Delivery is pre-assembled/partially disassembled |

Drawing



More images



