

Security free-standing letterbox type 174B - Extra volume - Polished stainless steel - Removal from the rear | insertion slot B4

Product number 584BZ-BEB4



Product description

Security letterbox type 174B - extra volume - polished stainless steel - rear removal

The extra-large security free-standing letter box type 174B with rear removal is the ideal solution for all areas where a particularly high level of protection against unauthorised access is required and a particularly high volume of mail is generated. Manufactured from solid, polished V2A stainless steel and equipped with a sophisticated locking mechanism, this letterbox fulfils the highest requirements in terms of security, durability and functionality.

Areas of application: Ideal for banks, tax consultants, car dealerships and public institutions

The security free-standing letterbox type 174B is particularly suitable for **institutions and companies** that receive large volumes of mail and where data protection, confidentiality and tamper protection are top priorities:

- Banks and savings banks: For the secure posting of transfers, confidential documents or keys outside opening hours. The interlock technology prevents unauthorised persons from accessing documents that have already been posted.
- Tax consultants and law firms: Ideal for handing over sensitive tax documents, contracts and receipts. Clients can hand in documents securely at any time without having to hand them over in person.
- Car dealerships and garages: Perfectly suited for handing in keys for vehicle acceptances outside of business hours. The insertion shaft accepts items up to 35 mm thick even car keys or key fobs can be inserted without any problems.
- Municipalities and public institutions: A reliable system for citizens' mail, applications and official documents. The sturdy stainless steel construction and high dead weight ensure safe operation in public spaces.

Quality made in Germany

The type 174B security letterbox is manufactured **in Germany** - with precision craftsmanship and state-of-the-art production technology. The combination of industrial precision and traditional metal construction guarantees the highest quality and durability. Each letterbox undergoes careful quality control before it is delivered. The result is a product that will function reliably for many years, even with daily use.



- The TYPE 174B free-standing letterbox with increased security standard is made of stainless steel V2A 1.4301, polished.
- Very high-quality workmanship! Made in Germany.
- The material thickness of the letterbox column is 5mm / 2mm.
- The rear removal doors can be opened from left to right.
- Mail items up to B4, with toothed plate and steel pins to prevent unauthorised removal. Opening width adjustable.
- The letterbox is equipped with an ABUS profile half cylinder 30/10. This allows you to easily replace the lock with another profile half cylinder of your choice (#########_1__. of a locking system) if required.
- Optionally with a fold-out insertion shaft (sluice insertion) for items up to B4 (width 25.5 cm, length 36 cm, height 4.3 cm). When the slot is opened, a solid steel plate on the underside closes the slot so that unauthorised access to the post box is not possible. Post only falls into the lower part of the letter box when the chute is closed again. With lock insertion, this letter box can be used universally, from a thin bank transfer to the weekend edition of the FAZ, as well as for items such as #########. Keys up to a thickness of 35 mm.
- Optionally with labelling/logo. Please ask us separately for labelling and logos or let us know during the ordering process.
- Please note! The letterbox weighs 65 kg.

Important information:

To achieve optimum water protection for your mail, the letterbox or letterbox system should be located under a canopy if possible.

The mail is only protected from water if it is completely placed in the box and the flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the letterbox. This system is protected against the ingress of water in accordance with DIN EN 13724. Water ingress is not a reason for complaint.

Product properties

Mounting type Free-standing

Material Stainless steel V2A 1.4301

Number of boxes with 1 letterbox **Boxes by volume** Jumbo > 30 litres

Surface/colour Brushed
Removal of mail On the back

Dimensions

Capacity in litres100Height of letterbox slot in mmup to 40.0Width of letter slot in mm260,0Overall height in mm1340,0Total width in mm450,0Depth in mm450,0Weight in kg65

Delivery condition Supplied fully assembled



More images











