

Stainless steel parcel letter box BASIC Plus 864XS with parcel compartment 550x370 - House number - RAL of your choice | without newspaper compartment | 370x110x385 mm (WxHxD) - ?? Normal 15 litres

Product number 864XS-1-HSNS



Product description

Stainless steel BASIC Plus 864XS parcel post box column with parcel compartment 550x370 - house number - RAL of your choice

Modern letterbox pillar including parcel compartment - made in Germany by Briefkasten Manufaktur.

The letterbox pillar is made entirely of stainless steel V2A, powder-coated in RAL colour. The very high-quality workmanship and the well thought-out concept make this letterbox pillar our top seller. A rain drainage edge for optimum water protection, a continuous rubber lip for quiet insertion and the very robust lock characterise this letterbox pillar. The side panelling with protruding rain cover made of V2A stainless steel offers optimum protection against the weather and guarantees a very long service life.

Parcel receipt independent of delivery person! Any parcel deliverer (e.g. DHL, DPD, TNT, GLS, Hermes, etc.) can use this parcel letterbox.

The letterbox systems in the BASIC Plus collection are characterised by the consistent use of V2A stainless steel. The result is a very long service life and sustainability. The design has been developed by our own engineers with a view to high flexibility and modularity, simple spare parts assembly and uncomplicated self-assembly. Spare parts are directly available for all BASIC Plus systems.

- Letterbox pillar with parcel compartment made of stainless steel V2A 1.4301, powder-coated in RAL colour.
- The complete letterbox pillar has a modular design, so each component can be replaced or changed at any time.
- Parcel compartment 370x550x385 mm (WD) incl. parcel lock with latch and 5 keys. With high-quality stainless steel laser labelling "PAKET".
- Parcel compartment volume: 77 litres, max. Parcel dimensions: 340 x 520 x 355 mm (WHT).
- Letterbox 370 x 110 x 385 mm (WHT). Removal from the front, the removal door can be opened from left to right.
- Insertion C4 crosswise from the front, even large letters fit in here without creasing. Insertion flap with rubber lip.
- Complies with DIN EN 13724.
- Includes 2 keys with key number per letterbox and 2-part flush-fitting nameplate under the flap (without labelling, optional "Advertising, no thanks!").
- Optional high-quality stainless steel laser labelling. House number approx. 80-100mm high & name lettering approx. 25-40mm high.
- Screwed rear panel made of 2mm stainless steel V2A 1.4301, powder-coated.
- Side panelling made of 2.5mm stainless steel V2A 1.4301, powder-coated and rain canopy made of 6mm stainless steel V2A 1.4301, powder-coated.
- The pedestal is equipped with internal base plates. This conceals the fixing plugs (not included, see accessories) for screw mounting.

Important information:

The post is only protected from moisture and dirt when it is fully inserted and the flap is closed. Under certain extreme weather conditions, water may still enter (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.


Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Functions	Parcel compartment
Number of boxes	with 1 parcel box, with 1 letterbox
Boxes by volume	Normal > 10 litres
Material	Aluminium AlMg3 W19, Stainless steel V2A 1.4301
Mounting type	Free-standing
Removal of mail	On the front

Dimensions

Height of single box in mm	BK 110.0 PK 550.0
Width of single box in mm	370,0
Capacity in litres	BK 16.0 PK 77.0
Height of letterbox slot in mm	35,0
Width of letter slot in mm	325,0
Overall height in mm	1116,0
Total width in mm	382,0
Depth in mm	414.0 + 16.0 Rain roof
Weight in kg	68
Delivery condition	Delivery is assembled

Drawing



More images

