

# Design letterbox pillar GRIMM with function box | Right | ? Colour of your choice | LOXONE intercom + code touch 2-way prepared

**Product number** 562-STLPK-SPR-SF-LOX2



## Product description

### Design letterbox pillar GRIMM® - A masterpiece of letterbox manufacturing

The GRIMM® designer letterbox is the perfect eye-catcher for any entrance area. With clear lines and a no-frills design, this letterbox is impressive across the board. Developed with over 21 years of experience in letterbox construction, the GRIMM® combines the best of our DESIGNER and GOETHE® collections. The flush-mounted look of the DESIGNER letterbox meets state-of-the-art locking technology and optimum weather protection, as found in the GOETHE® collection.

The GRIMM® letterbox is not only a visual highlight, but also at the forefront in terms of functionality and quality. Made by Briefkasten Manufaktur, it stands for maximum value and reliability. Thanks to the innovative push-key lock, the letterbox can be closed easily and conveniently - even without the use of a key. The lock is optimally protected against the weather.

The letterbox also features an intelligent removal system: the door opens from top to bottom, ensuring that the mail remains securely in the box and cannot fall out. It can also be conveniently inserted from the front, with high-quality axle dampers ensuring that the flap closes gently. Thanks to the DIN/EN 13724 standard, the GRIMM is ideal for large letters in C4 format, which can be inserted without creasing. The GRIMM® letterbox impresses with its durable quality, timeless design and sophisticated functionality. The GRIMM® letterbox combines sophisticated design with modern technology and creates a stylish and functional entrance area. Opt for durability and top quality - with a letterbox that blends in perfectly with your architecture while offering optimum protection for your mail.

- High-quality letterbox pedestal made entirely of stainless steel.
- Front panel made of 2 mm stainless steel V2A 1.4301, optionally polished or powder-coated.
- Quality production - Made in Germany by Briefkasten Manufaktur Lippe.
- Innovative push-key lock including 2 keys with key number, convenient locking without key, optimally protected from the weather.
- The removal door with opening limiter opens from top to bottom to prevent mail from falling towards you.
- Front insertion with insertion flap that closes gently via high-quality axle dampers.
- DIN/EN 13724-compliant letterbox, insertion size (3.5 cm x 32.5 cm) for C4 landscape - even large letters remain intact.
- Optimum weather protection thanks to offset cover.
- Optional name labelling approx. 15-20 mm high.
- Optional house number labelling approx. 70-80 mm high.
- Double box system: The cover can be easily installed after completion of the construction work and can be replaced at any time.
- The fully welded pedestal is made of 2mm stainless steel V2A 1.4301, polished. Construction height is 1.70 m.
- Invisible cable feed through the body is possible.
- The pedestal is fitted with a VA base plate. This is 10 mm thick and is finished with a cover plate. This conceals the fixing plugs.

#### Important information:

To achieve optimum water protection for your mail, the letterbox or letterbox system should be located under a canopy if possible.

The mail is only protected from water if it is fully inserted in the box and the flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the letterbox. This system is protected against the ingress of water in accordance with DIN EN 13724. Water ingress is not a reason for complaint.


## Product properties

<b>Surface/colour</b>	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
<b>Series</b>	GRIMM
<b>Functions</b>	Camera, Intercom, Parcel compartment
<b>Functional box prepared for manufacturer</b>	LOXONE
<b>Number of boxes</b>	with 1 parcel box, with 1 letterbox
<b>Mounting type</b>	Free-standing
<b>Material</b>	Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
<b>House number</b>	House number as laser engraving
<b>Name labelling</b>	Laser-engraved
<b>Removal of mail</b>	On the front
<b>Boxes by volume</b>	Large > 16 litres

## Dimensions

<b>Height of single box in mm</b>	Briefkasten 460,0   500,0 - Paketkasten 710,0   750,0
<b>Width of single box in mm</b>	Briefkasten 560,0   600,0 - Paketkasten 560,0   600,0
<b>Capacity in litres</b>	Briefkasten 26,0   Paketkasten 130,0
<b>Height of letterbox slot in mm</b>	35,0
<b>Width of letter slot in mm</b>	325,0
<b>Overall height in mm</b>	1700,0
<b>Total width in mm</b>	Korpuss 640,0   Fussplatte 730,0
<b>Depth in mm</b>	Korpuss 352,0   Fussplatte 442,0
<b>Weight in kg</b>	95
<b>Delivery condition</b>	Delivery is assembled

## Drawing



## More images

