

# Freestanding parcel letter box KLEIST Edition ST-R - Design Elegance 2 - RAL 9007 grey aluminium | RAL 9007 grey aluminium fine structure matt

**Product number** 307-E2-9007VA-STR



## Product description

### Free-standing parcel letterbox KLEIST Edition ST-R - Design Elegance 2 - RAL 9007 grey aluminium - Stainless steel stand elements

The KLEIST Edition parcel letterbox including round tube stand elements is a revolutionary solution for receiving parcels and letters that makes no compromises between beauty and practicality. The minimalist appearance, enriched with options for individual labelling, integrates effortlessly into any contemporary living environment. The choice of first-class materials and careful manufacturing guarantee maximum durability and reliability. You can rely on a product that masterfully combines aesthetics and functionality.

The generous opening of the parcel box makes it easy to insert items measuring up to 360 x 250 x 130 mm, corresponding to size M, thus ensuring that parcels are received safely and effortlessly. The special lock function ensures that parcels can only be removed from the lockable compartment from below, which prevents access from above and therefore potential theft. This parcel box offers convenient and independent parcel reception and can be used for all delivery services such as DHL, DPD, TNT, GLS, Hermes and others. Thanks to the clever lock mechanism and a volume of 145 litres, several parcels can be received at the same time. In addition, daily mail can also be safely posted through this innovative lock.

Self-assembly is straightforward thanks to the sophisticated design.

- High-quality, free-standing parcel letterbox with parcel box made of galvanised steel, powder-coated in RAL 9007 grey aluminium fine structure matt.
- Elegance 2 design: Narrow stainless steel trim, 240 grit polished.
- Parcel compartment volume: approx. 145 litres, max. Parcel dimensions: 360 x 250 x 130 mm (WHT), corresponding to parcel size M.
- Large insertion flap with airlock technology for multiple parcel loading.
- Drop-in flap with damping for quiet closing.
- The door can be opened from top to bottom, providing additional protection against theft.
- Includes 2 keys with key number.
- Optional name labelling approx. 8-25 mm high.
- The stand elements are made of 60.3 mm V2A stainless steel 1.4301, 240 grit polished for screw mounting or setting in concrete.

#### Important information:

In order to achieve optimum water protection for your parcels, the parcel box or parcel box system should be located under a canopy if possible.

The parcel is only protected from water if it is completely placed in the box and the flap is closed. Parcels that are not fully inserted allow moisture and dirt to enter the parcel box. Water ingress is not a reason for complaint.


## Product properties

|                        |   |
|------------------------|---|
| <b>Material</b>        | Steel, galvanised, Stainless steel V2A 1.4301 |
| <b>Series</b>          | KLEIST  |
| <b>Functions</b>       | Newspaper compartment, Parcel compartment     |
| <b>Number of boxes</b> | with 1 parcel box, with 1 letterbox           |
| <b>Mounting type</b>   | Free-standing                                 |
| <b>House number</b>    | House number as laser engraving               |
| <b>Name labelling</b>  | Laser-engraved                                |
| <b>Removal of mail</b> | On the front                                  |
| <b>Boxes by volume</b> | Jumbo > 30 litres                             |
| <b>Surface/colour</b>  | Brushed, RAL 9007 grey aluminium              |

## Dimensions

|                                   |  |
|-----------------------------------|--|
| <b>Height of single box in mm</b> | 1000,0   |
| <b>Width of single box in mm</b>  | 449,0  |
| <b>Capacity in litres</b>         | 145  |
| <b>Overall height in mm</b>       | 1200,0   1500,0   1700,0                       |
| <b>Total width in mm</b>          | without footplate 645.0   with footplate 725.0 |
| <b>Depth in mm</b>                | 356,0  |
| <b>Weight in kg</b>               | 32,0 - 36,0                                    |
| <b>Delivery condition</b>         | Supplied fully assembled                       |

## Drawing



## More images



