

2-piece stainless steel parcel compartment system BASIC Plus 863X STL with parcel compartment 370x550 and letterbox 370x110 - colour of your choice | ? Colour of your choice | with 2 letterboxes

Product number 863X-STL-PK2-BK2-SF



Product description

2-piece stainless steel parcel locker system BASIC Plus 863X STL with parcel locker 370x550 and letterbox 370x110 - colour of your choice

The BASIC Plus parcel and letter box system from Briefkasten Manufaktur is the well thought-out solution for anyone who wants to enable the secure receipt of mail and parcels at any time of day - independent of the deliverer, weather-protected and maintenance-free. The system was specially developed for use in apartment blocks, residential complexes, company buildings and public facilities and impresses with its clear design, modular functionality and uncompromising material quality. Thanks to the combination of letter and parcel compartments, the BASIC Plus series offers real added value for residents, employees and delivery services. The design is modern, timeless and discreet, so that the system blends effortlessly into any building environment - whether new or existing.

A special feature of the system is the tried-and-tested mechanical parcel lock with T-handle, which enables delivery without a delivery person: the delivery person places the parcel in the open compartment and locks it with a simple click. The compartment remains locked until the authorised user opens it with their key. A clever solution - without electronics, without an app, but with maximum security.

The BASIC Plus collection stands for particularly high product quality "Made in Germany". All components were developed by our own engineers with modularity, ease of repair and self-assembly in mind. Spare parts are permanently available - a decisive advantage for long-lasting use and sustainable investment. Choose the BASIC Plus parcel and letter box system for an elegant, robust solution that is suitable for everyday use and meets the requirements of modern parcel and letter reception in every respect - manufactured with care and precision in the letter box factory in Bad Salzuflen.

- Parcel compartment system made entirely of stainless steel V2A _1.4301, powder-coated in the colour of your choice.
- Parcel compartments 370x550x385 mm (WD) incl. parcel lock with latch.
- Parcel compartment volume: 77 litres, max. Parcel dimensions: 340 x 510 x 350 mm (WHT).
- Letterboxes 370 x 110 x 385 mm (WD). Removal from the front, the removal door can be opened from left to right.
- DIN EN 13724 compliant. C4 letterbox from the front, even large letters fit in here without creasing.
- Includes 2 keys with key number per parcel box/mailbox and interchangeable name plate (type 2).
- Close-fitting side panelling with integrated rain edge projecting forwards, roof plate folded over side plates made of 2 mm stainless steel V2A 1.4301, powder-coated.
- Rear wall made of 1 mm stainless steel 1.4301 V2A, powder-coated.
- Base made of 40x40x2mm stainless steel tube V2A 1.4301, powder-coated. Invisible fastening for screw mounting.


Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Functions	Parcel compartment
Number of boxes	with 2 parcel boxes, with 2 letterboxes
Boxes by volume	Normal > 10 litres, Jumbo > 30 litres
Name labelling	Nameplate
Mounting type	Free-standing
Material	Stainless steel V2A 1.4301
Removal of mail	On the front



Dimensions


Height of single box in mm	Letterbox 110.0 Parcel box 550.0
Width of single box in mm	370,0
Capacity in litres	Letterbox 16.0 Parcel box 61.0
Height of letterbox slot in mm	35,0
Width of letter slot in mm	325,0
Overall height in mm	1362,0
Total width in mm	383,0
Depth in mm	385.0 with rain roof 430.0
Weight in kg	30
Delivery condition	Supplied fully assembled

Drawing




More images





Funktionsprinzip des Paketschlusses: Fachbelegung



Paketschloss öffnen im Ausgangszustand Hebel nach rechts drehen ... und Fach öffnen und belegen Hebel wieder zurückführen ... und reintücken. Das Paketfach ist nun geschlossen.

Paketentnahme



Zur Entnahme des Pakets Öffnet der Empfänger das Schloss mit seinem Schlüssel

