


# 3 letterbox pedestal BASIC Plus 864X with parcel compartment 550x370 & bell box - RAL of your choice | Top | with 3 letterboxes

**Product number** 864X-3-SP-O



## Product description

### 3-post box pedestal BASIC Plus 864X with parcel compartment 550x370 & bell box (optional camera) - RAL of your choice

Modern 3-party letterbox column including parcel compartment - made in Germany by Briefkasten Manufaktur.

The letterbox pillar is made entirely of stainless steel V2A and aluminium, powder-coated in RAL colour. The very high-quality workmanship and the well thought-out concept make this letterbox pillar our top seller. A rain drainage edge for optimum water protection, a continuous rubber lip for quiet insertion, the solid interchangeable nameplate and the very robust lock characterise this letterbox pillar. The 6 mm thick side cladding with protruding aluminium rain cover offers optimum protection against the weather and guarantees a very long service life.

Receive parcels regardless of delivery person! Every parcel deliverer (e.g. DHL, DPD, TNT, GLS, Hermes, etc.) can use this parcel letterbox.

The letterbox systems in the BASIC Plus collection are characterised by the consistent use of V2A stainless steel and aluminium. The design has been developed by our own engineers with a view to high flexibility and modularity, simple spare parts assembly and uncomplicated self-assembly. Spare parts are directly available for all BASIC Plus systems.

- **3-gang letterbox pillar with parcel compartment made of stainless steel V2A 1.4301 and aluminium, powder-coated in RAL colour**
- The complete letterbox pillar has a modular design, so each component can be replaced or changed at any time.
- Parcel compartment 370x550x385 mm (WD) incl. parcel lock with latch. With high-quality stainless steel laser labelling "PAKET".
- Parcel compartment volume: 77 litres, max. Parcel dimensions: 340 x 520 x 355 mm (WD).
- Letterboxes 370 x 110 x 385 mm (WD). Removal from the front, the removal door can be opened from left to right.
- Insertion C4 crosswise from the front, even large letters fit in here without creasing. Insertion flap with rubber lip.
- DIN EN 13724 compliant.
- Includes 2 keys with key number per individual box and changeable name plate (type 2) under the flap (without labelling).
- Optional high-quality stainless steel laser labelling. House number approx. 60-80mm high & street name or lettering approx. 25-40mm high.
- Screwed rear panel made of 2mm stainless steel V2A 1.4301, powder-coated.
- Side cladding and rain canopy made of 6mm aluminium, powder-coated.
- **Doorbell box made of V2A stainless steel, powder-coated in RAL colour**
- Speech perforation with universal adapter. (Intercom system/ built-in loudspeaker not included in scope of delivery). Also available without speech perforation.
- Universal adapter is suitable for all commercially available built-in loudspeakers (Siedle, Ritto, TCS, Busch-Jäger, Gira, Legrand Bticino, ELCOM, Auerswald, Comelit and many more).
- Round stainless steel bell push button type: Grothe Protact, max. 24 V AC/DC, 1.5 A, IP 54 (pressure force limitation).
- Anti-vandalism - The nameplate (type 1) is indentation-proof and impact-resistant, the plastic is flame-retardant.
- The stele is equipped with internal base plates made of 6 mm aluminium. This conceals the fixing plugs (not included, see accessories) for screw mounting.

### Important information

Camera or intercom preparation

**The intercom systems must be connected by an electrician. Please contact your trusted electrician for planning, fitting and installation.**

Water protection

The mail is only protected against moisture and dirt when it is fully inserted and the flap is closed. Under certain extreme weather conditions, water may still enter (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.


## Product properties

<b>Surface/colour</b>	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), Brushed, RAL 9007 grey aluminium, RAL 9016 traffic white
<b>Series</b>	BASIC
<b>Functions</b>	Parcel compartment
<b>Number of boxes</b>	with 1 parcel box, with 3 letterboxes
<b>Boxes by volume</b>	Normal > 10 litres, Jumbo > 30 litres
<b>Mounting type</b>	Free-standing
<b>Material</b>	Stainless steel V2A 1.4301
<b>House number</b>	House number as laser engraving
<b>Name labelling</b>	Laser-engraved
<b>Removal of mail</b>	On the front

## Dimensions

Height of single box in mm	BK 110.0   PK 550.0
Width of single box in mm	370,0
Capacity in litres	BK 16.0   PK 77.0
Height of letterbox slot in mm	35,0
Width of letter slot in mm	325,0
Overall height in mm	1606,0
Total width in mm	382,0
Depth in mm	414.0 + 16.0 Rain roof
Weight in kg	58
Delivery condition	Delivery is assembled

## Drawing



## More images





