

## 2-post surface-mounted letterbox system Design BASIC 385 A 220 - RAL 7016 anthracite grey fine textured matt | RAL 7016 anthracite grey, fine structure, matt | 300x220x385 mm (WxHxD) - Large 25 litres | with 2 letterboxes (1x2)

**Product number** 385A220-7016-2



### Product description

#### 2-point surface-mounted letterbox system Design BASIC 385 A 220 - RAL 7016 anthracite grey fine structure matt

Modern letterbox with extra large letterboxes for 2 parties made in Germany by Briefkasten Manufaktur.

The letterbox system is made entirely of galvanised steel, powder-coated in RAL 7016 anthracite grey fine structure matt. This letterbox system is characterised by a close-fitting side cladding with rain canopy and the rain drainage channels for optimum water protection, a throw-in flap with rubber lip, the solid interchangeable nameplate and the robust lock. This letterbox is easy to clean and robust.

Thanks to the design, self-assembly is uncomplicated.

- **2-piece surface-mounted letterbox system with letterboxes made of galvanised steel, powder-coated in RAL 7016 anthracite grey fine structure matt**
- The system is manufactured by Briefkasten Manufaktur. German quality production "Made in Germany".
- The letterboxes made of galvanised steel, powder-coated in RAL 7016 anthracite grey fine structure matt comply with DIN/EN 13724. Insertion size (3.5 cm x 26.5 cm) for C4 high, large letters also fit in here without creasing.
- Insertion flaps with sound-absorbing rubber lip for very quiet mail insertion.
- The doors can be opened from left to right.
- Incl. 2 keys with key number and changeable name plate under the flap for each letterbox.
- Incl. close-fitting side cladding + rain cover made of stainless steel V2A, powder-coated in RAL 7016 anthracite grey fine structure matt.
- For easy 1-2 person wall mounting with mounting rail incl. fixing material (screws + wall plugs).

#### Important information:

The post is only protected from moisture and dirt when it is fully inserted and the flap is closed. Under certain extreme weather conditions, water can still enter (up to 1cm according to DIN EN 13724). This is not a reason for complaint.

## Product properties

<b>Material</b>	Steel, galvanised
<b>Series</b>	BASIC
<b>Name labelling</b>	Nameplate
<b>Surface/colour</b>	RAL 7016 anthracite grey
<b>Number of boxes</b>	with 2 letterboxes
<b>Removal of mail</b>	On the front
<b>Boxes by volume</b>	Large > 16 litres
<b>Mounting type</b>	Surface-mounted

## Dimensions

<b>Height of single box in mm</b>	220,0
<b>Width of single box in mm</b>	300,0
<b>Capacity in litres</b>	25
<b>Height of letterbox slot in mm</b>	35,0
<b>Width of letter slot in mm</b>	265,0
<b>Height of letterbox in mm</b>	440,0
<b>Width of letterbox system in mm</b>	300,0
<b>Total width in mm</b>	308,0
<b>Depth in mm</b>	435,0
<b>Weight in kg</b>	21
<b>Delivery condition</b>	Supplied fully assembled

## More images



