


# Designer BIG stainless steel letterbox pillar with backlit house number - RAL of your choice - INDIVIDUAL

**Product number** 599B-VAR-HL-B



## Product description

### Designer BIG stainless steel letterbox pillar with backlit house number - RAL of your choice - INDIVIDUAL

Stylish stainless steel pillar made of V2A 1.4301 stainless steel, powder-coated in RAL fine structure matt with backlit house number. The pillar is fully welded, so no rivets or screws are visible. The letterbox module is also inserted into the pillar with invisible screws. The letterbox module is also made of 2 mm stainless steel V2A 1.4301, powder-coated in RAL fine structure matt and can be replaced with a new letterbox module even after many years. This letterbox column is manufactured by Briefkasten Manufaktur. Made in Germany, Bad Salzuffen.

- The letterbox module is made of 2mm stainless steel V2A 1.4301, powder-coated in RAL colour.
- Front mail removal door 350 mm x 300 mm, opens from top to bottom. Incl. 2 keys with key number.
- Mail slot from the front, dimensions: W 35 cm x H 6.3 cm, C4 landscape. Very large letters fit in here without creasing.
- With built-in damping elements that allow the flap to close slowly and quietly.
- The pedestals are fitted with modules that can be replaced at a later date.
- House number approx. 70mm high (max. 3 digits) with energy-saving LED lighting 12V DC approx. 50mA / 1W, white.
- Choice of interchangeable stainless steel nameplate with laser inscription or Plexi nameplate.
- 8-12V DC short-stroke bell push with LED ring lighting (blue, white, red or green). The bell button lighting cannot be supplied via the control unit. It must be connected to an additional 8-12 V DC power supply.
- An 8-12 V DC short-stroke light button with pictogram is available as an option.
- Preparation (built-in loudspeaker not included) for intercom system possible.
- Optionally with universal adapter for all commercially available built-in loudspeakers.
- Optional preparation (camera not included in scope of delivery) for a camera.
- Incl. EVN LED power supply unit / transformer IP65 12V/DC 0.1-4W for LED lighting (house number, bell button and nameplate if selected).
- The fully welded pedestal is made of 1.5 mm stainless steel V2A 1.4301, powder-coated in RAL colour. Overall height is 1.70 m.
- Invisible cable feed through the body is possible.
- The pedestal is fitted with a VA base plate. This is 10 mm thick and is finished with a cover plate. This conceals the fixing plugs.

## Important information

Camera or call station preparation

**We recommend that the electrical installation is always carried out by an electrician.**

We offer the preparation of cameras & intercoms from various manufacturers for our letterboxes. The preparation does not include any end devices, but only the provision of screw mounts, drill holes and perforations. So that you can mount your end device without any problems.

## Water protection

To achieve optimum water protection for your mail, the letterbox or letterbox system should be located under a canopy if possible.

The mail is only protected from water if it is fully inserted in the box and the flap is closed. Mail that is not fully inserted allows moisture and dirt to penetrate the letterbox. It is therefore necessary to plan sufficiently dimensioned letterboxes for the upcoming requirements. In certain extreme weather conditions, water can still enter (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.


## Product properties

<b>Surface/colour</b>	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
<b>Series</b>	DESIGNER
<b>Number of bell push buttons</b>	1 button
<b>Functions</b>	Newspaper compartment, Light button, Camera, Intercom, Fingerprint, Keypad
<b>Functional box prepared for manufacturer</b>	LOXONE, GIRA, Busch Jaeger, Siedle, DoorBird, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, HHG, HIKVISION, PCS, Sesam, ekey, Comelit, Schneider Intercom / COMMEND
<b>Name labelling</b>	Laser-cut engraving, Nameplate, Laser-engraved , Illuminated laser-cut engraving
<b>Mounting type</b>	Free-standing
<b>Material</b>	Stainless steel V2A 1.4301
<b>House number</b>	House number as laser cut, illuminated
<b>Removal of mail</b>	On the front
<b>Number of boxes</b>	with 1 letterbox
<b>Boxes by volume</b>	Large > 16 litres

## Dimensions

<b>Height of single box in mm</b>	710,0   750,0
<b>Width of single box in mm</b>	410,0   450,0
<b>Capacity in litres</b>	31
<b>Height of letterbox slot in mm</b>	63,0
<b>Width of letter slot in mm</b>	350,0
<b>Overall height in mm</b>	1700,0
<b>Total width in mm</b>	490,0 (Fussplatte 580,0)
<b>Depth in mm</b>	150,0 (Fussplatte 240,0)
<b>Weight in kg</b>	65
<b>Delivery condition</b>	Lieferung erfolgt montiert

## Drawing



## More images

