

# 4 x 2 pedestal letterbox system Design BASIC Plus 385XP ST-T - LED labelling - RAL of your choice | with 4 letterboxes

**Product number** 385XP220-4-BL



## Product description

### 4er 2x2 letterbox system freestanding Design BASIC Plus 385XP ST-T - LED labelling - RAL of your choice

Modern free-standing letterbox with extra-large letterboxes for 4 parties made in Germany by Briefkasten Manufaktur. The functional letterbox with LaserCut lettering and LED lighting is ideal for sophisticated entrance areas.

The letterboxes are made of stainless steel V2A, powder-coated in RAL colour, the stand elements are made of anodised aluminium profile, powder-coated in RAL colour and are solidly manufactured and at the same time very elegant. A close-fitting side cladding with rain canopy and the rain drainage channels for optimum water protection, a stainless steel V2A throw-in flap, polished with rubber lip, the solid interchangeable nameplate and the robust lock characterise this free-standing letterbox. This letterbox is easy to clean and robust.

The letterbox systems in the BASIC Plus collection are characterised by the consistent use of V2A stainless steel and aluminium. The result is a very long service life and sustainability. The design has been developed by our own engineers with a view to high flexibility and modularity, simple spare parts assembly and uncomplicated self-assembly. Spare parts are directly available for all BASIC Plus systems.

- **4-post letterbox completely powder-coated in RAL colour**
- The system is manufactured by Briefkasten Manufaktur. German quality production "Made in Germany".
- The letterboxes made of stainless steel V2A, powder-coated in RAL colour, comply with DIN/EN 13724. Insertion size (3.5 cm x 26.5 cm) for C4 high, large letters also fit in here without creasing.
- Stainless steel insertion flaps, polished with sound-absorbing rubber lip for very quiet insertion of mail.
- The doors can be opened from left to right.
- Incl. 2 keys with key number and changeable name plate under the flap per letterbox.
- **Functional box with LaserCut labelling and LED lighting**
- House number 60-90mm (height depends on the number of characters) with energy-saving LED lighting 12V DC approx. 50mA / 1W, white.
- Lettering 60-90mm (height depends on the number of characters) with energy-saving LED lighting 12V DC approx. 50mA / 1W, white.
- Incl. EVN LED power supply unit / transformer IP65 12V/DC 0.1-4W for the LED lighting.
- Incl. close-fitting side cladding + rain canopy made of stainless steel V2A, powder-coated in RAL colour.
- The stand elements are made of aluminium profile, powder-coated in RAL colour for screw mounting or setting in concrete.

#### Important information:

The mail is only protected from water if it is fully inserted in the box and the flap is closed. Mail that is not fully inserted allows moisture and dirt to penetrate the letterbox. It is therefore necessary to plan sufficiently dimensioned letterboxes for the upcoming requirements. This system is protected against the ingress of water in accordance with DIN EN 13724. Water ingress is not a reason for complaint.

## Product properties

<b>Surface/colour</b>	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
<b>Series</b>	BASIC
<b>Number of letterboxes</b>	with 4 letterboxes
<b>Material</b>	Aluminium AlMg3 W19, Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
<b>Mounting type</b>	Free-standing
<b>House number</b>	House number as laser cut, illuminated
<b>Removal of mail</b>	On the front
<b>Boxes by volume</b>	Jumbo > 30 litres

## Abmessungen

<b>Height in mm:</b>	1
<b>Height of single box in mm:</b>	220,0
<b>Width of single box in mm:</b>	300,0
<b>Capacity in litres:</b>	25
<b>Height of letterbox slot in mm:</b>	35,0
<b>Width of letter slot in mm:</b>	265,0
<b>Height of letterbox in mm:</b>	550,0
<b>Width of letterbox system in mm:</b>	600,0
<b>Overall height in mm:</b>	1200,0   1600,0
<b>Total width in mm:</b>	700,0
<b>Depth in mm:</b>	435,0
<b>Weight in kg:</b>	36
<b>Delivery condition:</b>	Supplied in blocks, stand elements / letterbox divided
<b>Shipping information:</b>	Depending on the order volume, delivery will be by parcel post or bulky goods. Partial deliveries are possible for dismountable products (e.g. stand mailboxes can be shipped separately).

## More images







Montagebohrungen

