

BRENTANO® letterbox - Elegance 3 design - RAL of your choice | without newspaper compartment | ? Colour of your choice

Product number 803-RALE3-AP



Product description

BRENTANO® letterbox - Elegance 3 design - RAL colour of your choice

The BRENTANO® letterbox combines modern design with maximum functionality without a visible lock and a narrow stainless steel cover including name lettering in grey. Made from high-quality materials and powder-coated, this letterbox not only offers a stylish eye-catcher for your home, but also long-lasting quality. The clear design language and precise workmanship make the BRENTANO® letterbox a timeless solution for the highest demands. Thanks to its robust construction, it is particularly weather-resistant and reliably protects your mail. Ideal for anyone who values a perfect combination of design and function.

The generous dimensions of the BRENTANO® design letterbox allow a capacity of approx. 20 litres, which means that larger items such as DIN C4 envelopes or magazines can also be accepted without creasing - even after several days of absence. Top-loading ensures convenient handling. The letterbox is also equipped with dampers that ensure the flap closes gently and quietly. The innovative push-key lock, which is concealed inside, enables opening without turning the key - simply insert the key into the opening and the door opens effortlessly. The clever arrangement of the lock and the removal door prevents the mail from falling towards you when opening. Manufactured from stainless steel and galvanised steel with an additional powder-coated finish, this letterbox is particularly durable and has a high-quality finish.

The unique one-hand operating concept with the push-key lock, available exclusively from Briefkasten Manufaktur Lippe, makes it particularly easy to use: you can open the letterbox, remove the post and close it again with just one hand. Protected by a utility model (DPMA file number DE: 20 2021 101 679.5), this innovation offers real added value.

Thanks to the design, self-assembly is uncomplicated.

- High-quality surface-mounted letterbox, powder-coated.
- Quality production Made in Germany
- Elegance 3 design: slim 20 mm stainless steel cover, 240 grit polished.
- Innovative push-key lock including 2 keys with key number. Convenient locking without key.
- Letterbox body made of 1.5mm galvanised steel.
- Removal door made of 1.5 mm stainless steel V2A 1.4301 with opening limiter, can be opened from top to bottom. The retaining plate prevents mail from falling towards you.
- Mail is inserted from above.
- The insertion flap has an opening limiter that prevents it from touching the house wall. In addition, high-quality dampers ensure that the flap closes quietly and gently.
- The letterbox complies with DIN/EN 13724. Insertion size (3.5 cm x 36.0 cm) for C4 landscape, large letters also fit in here without creasing.
- Optional name labelling approx. 10 mm high.
- For surface wall mounting including mounting screws and spacers.

Important information:



To achieve optimum water protection for your mail, the letterbox or letterbox system should be located under a canopy if possible.

The mail is only protected from water if it is fully inserted in the box and the flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the letterbox. This system is protected against the ingress of water in accordance with DIN EN 13724. Water ingress is not a reason for complaint.

Product properties

Material Steel, galvanised, Stainless steel V2A 1.4301

Surface/colour RAL 9005 deep black, DB 703 iron mica, RAL of your choice (according to colour table), Brushed, RAL 9007

grey aluminium, RAL 9016 traffic white

Series BRENTANO
Name labelling Laser-engraved
Removal of mail On the front
Number of with 1 letterbox

letterboxes

Boxes by volume Large > 16 litres

Mounting type Surface-mounted

Dimensions


Height of single box in mm 400,0
Width of single box in mm 400,0
Capacity in litres 19,5
Height of letterbox slot in mm 35,0
Width of letter slot in mm 360,0
Total width in mm 410,0
Depth in mm 125,0
Weight in kg 11


Delivery condition Supplied fully assembled




Drawing











More images







