

# 3er 3x1 surface-mounted letterbox system BASIC - Edition NELLY - BI-Color VA-RAL 7016 anthracite grey | with 3 letterboxes (3x1)

**Product number** 382A-7016VA-BS-3X1



## Product description

### Surface-mounted letterbox system BASIC - Edition NELLY - BI-Color VA-RAL 7016 anthracite grey

*"Everything begins with longing."* - Nelly Sachs

Experience a combination of outstanding quality and modern design with the Edition NELLY surface-mounted letterbox system. This letterbox system, manufactured in Germany, is made of high-quality stainless steel V2A and letterboxes made of galvanised steel, which are powder-coated in the elegant RAL colour 7016 anthracite grey. The careful workmanship and well thought-out concept make it one of our best-selling products.

The NELLY surface-mounted letterbox system offers numerous advantages that make everyday life easier and keep mail safe. A rain drainage edge ensures optimum water protection, while the continuous rubber lip enables quiet insertion. The solid interchangeable nameplate, the practical post holder and the robust lock guarantee a high level of functionality and security.

The solid cladding including rain cover, made of 1.5 mm thick stainless steel V2A 1.4301, impresses with its elegant design and provides a vandal-proof environment for the letterboxes.

The system complies with DIN/EN 13724 standards and offers a generous insertion size of 3.5 cm x 32.5 cm, so that even large letters can be inserted without creasing. The polished stainless steel flaps are fitted with a noise-absorbing rubber seal, which ensures quiet and convenient posting. Each letterbox system is supplied with 2 keys, a changeable nameplate and a post holder for each letterbox.

A special highlight is the attached lettering plate, which can be customised with your own lettering. This elegant and unique display of your street name and/or house number gives the system a personal touch and is also easy to clean.

Every NELLY letterbox system is manufactured in our factory in Germany with the utmost precision and care. The products from Briefkasten Manufaktur stand for German quality workmanship and durability. Invest in the NELLY free-standing letterbox system and benefit from a functional and aesthetic design that fits perfectly into modern residential complexes.

- High-quality surface-mounted letterbox system, powder-coated in RAL 7016 anthracite grey fine structure matt.
- The system is manufactured by Briefkasten Manufaktur. German quality production "Made in Germany".
- The letterboxes are made of galvanised steel and comply with DIN/EN 13724. Insertion size (3.5 cm x 32.5 cm) for C4 landscape, even large letters fit in here without creasing.
- Insertion flaps made of stainless steel V2A 1.4301, 240 grit polished with noise-absorbing rubber seal for very quiet mail insertion.
- The doors can be opened from left to right.
- Incl. 2 keys with key number, changeable name plate under the flap and post holder per letterbox.
- Rain cover and side panelling made of 1.5 mm stainless steel V2A 1.4301, powder-coated. Attached labelling plate with your lettering.
- For simple 1-person wall mounting with mounting rail incl. fixing material (screws + wall plugs).

**Important information:**

The mail is only protected from moisture and dirt when it is fully inserted and the flap is closed. Under certain extreme weather conditions, water may still enter (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.


**Product properties**

<b>Material</b>	Steel, galvanised, Stainless steel V2A 1.4301
<b>Series</b>	BASIC
<b>Boxes by volume</b>	Normal > 10 litres
<b>Name labelling</b>	Nameplate
<b>House number</b>	House number as laser engraving
<b>Removal of mail</b>	On the front
<b>Mounting type</b>	Surface-mounted
<b>Number of boxes</b>	with 3 letterboxes

**Dimensions**

<b>Height of single box in mm</b>	330,0
<b>Width of single box in mm</b>	355,0
<b>Capacity in litres</b>	12,0
<b>Height of letterbox slot in mm</b>	35,0
<b>Width of letter slot in mm</b>	325,0
<b>Height of letterbox in mm</b>	447,0
<b>Width of letterbox system in mm</b>	1079,0
<b>Depth in mm</b>	100,0 + 24,0
<b>Weight in kg</b>	23
<b>Delivery condition</b>	Delivery is pre-assembled/partially disassembled

## Drawing



## More images

