

# 2-post letterbox design BASIC 385 ST-R with bell box - stainless steel RAL 7016 anthracite grey | Bi-colour polished stainless steel | RAL 7016 anthracite grey | Top | with 2 letterboxes

**Product number** 385-7016VA-2-SP



## Product description

### 2-post letter box design BASIC 385 ST-R with bell box - stainless steel RAL 7016 anthracite grey

Modern free-standing letterbox for 2 parties made in Germany by Briefkasten Manufaktur.

The letterboxes are made of galvanised steel, powder-coated in anthracite grey RAL 7016, the stand elements and insertion flaps are made of weather-resistant stainless steel V2A, polished. The very high-quality workmanship and the well thought-out concept make this letterbox system our top seller. A rain drainage edge for optimum water protection, a throw-in flap with rubber lip, the solid interchangeable nameplate and the robust lock characterise this free-standing letterbox. This letterbox is easy to clean and robust.

Thanks to the design, self-assembly is uncomplicated.

- **2-post letter box made of galvanised steel, powder-coated in anthracite grey RAL 7016**
- The system is manufactured by Briefkasten Manufaktur. German quality production "Made in Germany".
- The letterboxes comply with DIN/EN 13724. Insertion size (3.5 cm x 26.5 cm) for C4 high, large letters also fit in here without creasing.
- Stainless steel insertion flaps, polished with sound-absorbing rubber lip for very quiet insertion of mail.
- The doors can be opened from left to right.
- Incl. 2 keys with key number and changeable name plate under the flap for each letterbox.
- With close-fitting side panelling and rain cover in solid design.
- The stand elements are made of 60.0 mm V2A stainless steel 1.4301, polished for screw mounting or setting in concrete.
- **Intercom bell part made of galvanised steel, powder-coated in anthracite grey RAL 7016**
- Speech perforation with universal adapter. (Intercom system/ built-in loudspeaker not included in the scope of delivery).
- Universal adapter is suitable for all commercially available built-in loudspeakers (Siedle, Ritto, TCS, Busch-Jäger, Gira, Legrand Bticino, ELCOM, Auerswald, Comelit and many more).
- Round stainless steel bell push type 4, max. 250 V AC, 5 A.
- Anti-vandalism - The nameplate is indentation-proof and impact-resistant, the plastic is flame-retardant.
- Cable access: Ø 10.4 mm (on the right-hand side). Invisible cable routing through the stand element.

#### Important information:

The post is only protected from moisture and dirt when it is fully inserted and the flap is closed. Under certain extreme weather conditions, water can still enter (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.

## Product properties




|                                                 |                                                                                                                       |
|-------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| <b>Material</b>                                 | Steel, galvanised, Stainless steel V2A 1.4301                                                                         |
| <b>Series</b>                                   | BASIC                                                                                                                 |
| <b>Number of bell push buttons</b>              | 2 buttons                                                                                                             |
| <b>Functions</b>                                | Light button, Intercom                                                                                                |
| <b>Functional box prepared for manufacturer</b> | GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit |
| <b>Boxes by volume</b>                          | Normal > 10 litres                                                                                                    |
| <b>Name labelling</b>                           | Nameplate                                                                                                             |
| <b>Mounting type</b>                            | Free-standing                                                                                                         |
| <b>Surface/colour</b>                           | RAL 7016 anthracite grey, Brushed                                                                                     |
| <b>Number of boxes</b>                          | with 2 letterboxes                                                                                                    |
| <b>Removal of mail</b>                          | On the front                                                                                                          |

## Dimensions

|                                        |                                                        |
|----------------------------------------|--------------------------------------------------------|
| <b>Height of single box in mm</b>      | 110,0                                                  |
| <b>Width of single box in mm</b>       | 300,0                                                  |
| <b>Capacity in litres</b>              | 12                                                     |
| <b>Height of letterbox slot in mm</b>  | 35,0                                                   |
| <b>Width of letter slot in mm</b>      | 265,0                                                  |
| <b>Height of letterbox in mm</b>       | 330,0                                                  |
| <b>Width of letterbox system in mm</b> | 300,0                                                  |
| <b>Overall height in mm</b>            | 1200,0   1500,0   1700,0                               |
| <b>Total width in mm</b>               | 465,0                                                  |
| <b>Depth in mm</b>                     | 435,0                                                  |
| <b>Weight in kg</b>                    | 21                                                     |
| <b>Delivery condition</b>              | Supplied in blocks, stand elements / letterbox divided |

## Drawing

Montagebohrungen



## More images

