

# Stainless steel fence letterbox Designer BIG - RAL of your choice - GIRA System 106 - 3-gang prepared | ? RAL of your choice

Product number 515BR-R-V-GI106-RAL



## Product description

### Stainless steel fence letterbox designer model BIG - RAL of your choice - GIRA System 106 - 3-gang prepared

High-quality fence letterbox from the Briefkasten Manufaktur brand in extra-large format. The Gira System 106 can be used seamlessly in a flush-mounted design. The preparation is intended for 3 GIRA 106 system modules. The modules can be flush-mounted using the simple mounting system (surface-mounted housing 5503910 required!).

This is a real eye-catcher among letterboxes. Clear lines and no-frills design characterise the designer letterbox with GIRA System 106. Our products have a high quality, reliable functionality and their own identity. Made by Briefkasten Manufaktur.

- Designer stainless steel fence letterbox made of 2 mm stainless steel V2A, powder-coated to RAL colour fine structure matt.
- Rear mail removal door 240 mm x 300 mm, opens from top to bottom. Incl. 2 keys with key number.
- Mail slot from the front, dimensions: W 32 cm x H 6.3 cm, C4 landscape. Very large letters fit in here without creasing. Attention no removal protection!
- **Now with built-in damping elements that allow the flap to close slowly and quietly.**
- Surface-mounted box dimensions: H 710 mm x W 410 x D 100 without fixing holes (must be provided by customer). ATTENTION the front panel protrudes 2 cm all round.
- Surface-mounted box made of V2A stainless steel, polished on all sides.
- **WITHOUT GIRA system components!**

## Important information

Camera or intercom preparation

**The intercom systems must be connected by an electrician. Please contact your trusted electrician for planning, fitting and installation.**

Water protection

To achieve optimum water protection for your mail, the letterbox or letterbox system should be located under a canopy if possible.

The mail is only protected from water if it is fully inserted in the box and the flap is closed. Mail that is not fully inserted allows moisture and dirt to penetrate the letterbox. It is therefore necessary to plan sufficiently dimensioned letterboxes for the upcoming requirements. Under certain extreme weather conditions, water can still enter (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.


## Product properties


<b>Surface/colour</b>	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
<b>Series</b>	DESIGNER
<b>Functions</b>	Newspaper compartment
<b>Functional box prepared for manufacturer</b>	GIRA
<b>Material</b>	Stainless steel V2A 1.4301
<b>Mounting type</b>	Fence
<b>Number of letterboxes</b>	with 1 letterbox
<b>Boxes by volume</b>	Jumbo > 30 litres, Large > 16 litres
<b>Removal of mail</b>	On the back


## Dimensions

<b>Height of single box in mm</b>	710,0   750,0
<b>Width of single box in mm</b>	410,0   450,0
<b>Capacity in litres</b>	21
<b>Height of letterbox slot in mm</b>	63,0
<b>Width of letter slot in mm</b>	350,0
<b>Depth in mm</b>	100,0
<b>Weight in kg</b>	32
<b>Delivery condition</b>	Delivery is assembled

## More images







Eingebaute Dämpfungselemente lassen die Einwurfsklappe langsam und leise schließen