

# 6-piece stainless steel free-standing letterbox Design BASIC Plus 385 XP SP with bell box - RAL of your choice | Right | ? Colour of your choice | with 6 letterboxes

Product number 385XP-6-SP-R



## Product description

### 6-post stainless steel letter box design BASIC Plus 385 XP SP with bell box - RAL of your choice

Modern free-standing letterbox for 6 parties made in Germany by Briefkasten Manufaktur.

The letterboxes are made of stainless steel V2A, powder-coated in RAL colour, the stand elements are made of anodised aluminium profile, powder-coated in RAL colour and are solidly manufactured and at the same time very elegant. A close-fitting side cladding with rain canopy and the rain drainage channels for optimum water protection, a throw-in flap with rubber lip, the solid interchangeable nameplate and the robust lock characterise this free-standing letterbox. This letterbox is easy to clean and robust.

The letterbox systems in the BASIC Plus collection are characterised by the consistent use of V2A stainless steel and aluminium. The result is a very long service life and sustainability. The design has been developed by our own engineers with a view to high flexibility and modularity, simple spare parts assembly and uncomplicated self-assembly. Spare parts are directly available for all BASIC Plus systems.

- **6 letterboxes completely powder-coated in RAL colour.**
- The system is manufactured by Briefkasten Manufaktur. German quality production "Made in Germany".
- The letterboxes made of stainless steel V2A, powder-coated in RAL colour, comply with DIN/EN 13724. Insertion size (3.5 cm x 26.5 cm) for C4 high, even large letters fit in here without creasing.
- Insertion flaps with sound-absorbing rubber lip for very quiet insertion of mail.
- The doors can be opened from left to right.
- Incl. 2 keys with key number and changeable name plate under the flap for each letterbox.
- Incl. close-fitting side cladding + rain cover made of V2A stainless steel, powder-coated in RAL colour.
- **Bell function box made of V2A stainless steel, powder-coated in RAL colour**
- Intercom perforation with universal adapter. (Intercom system/ built-in loudspeaker not included in the scope of delivery).
- Universal adapter is suitable for all commercially available built-in loudspeakers (Siedle, Ritto, TCS, Busch-Jäger, Gira, Legrand Bticino, ELCOM, Auerswald, Comelit and many more).
- Round stainless steel bell push type 4, max. 250 V AC, 5 A.
- Anti-vandalism - The nameplate is indentation-proof and impact-resistant, the plastic is flame-retardant.
- The stand elements consist of an aluminium profile, powder-coated in RAL colour, for screw mounting or setting in concrete.

## Important information

Camera or intercom preparation

**The intercom systems must be connected by an electrician. Please contact your trusted electrician for planning, fitting and installation.**

Water protection

The mail is only protected against moisture and dirt when it is fully inserted and the flap is closed. Under certain extreme weather conditions, water can still enter (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.


## Product properties

<b>Surface/colour</b>	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
<b>Series</b>	BASIC
<b>Number of bell push buttons</b>	6 buttons
<b>Functions</b>	Light button, Intercom
<b>Functional box prepared for manufacturer</b>	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
<b>Number of boxes</b>	with 6 letterboxes
<b>Boxes by volume</b>	Normal > 10 litres
<b>Name labelling</b>	Nameplate
<b>Material</b>	Aluminium AlMg3 W19, Stainless steel V2A 1.4301
<b>Mounting type</b>	Free-standing
<b>Removal of mail</b>	On the front

## Dimensions

<b>Height of single box in mm</b>	110,0
<b>Width of single box in mm</b>	300,0
<b>Capacity in litres</b>	12
<b>Height of letterbox slot in mm</b>	35,0
<b>Width of letter slot in mm</b>	265,0
<b>Height of letterbox in mm</b>	440,0
<b>Width of letterbox system in mm</b>	600,0
<b>Overall height in mm</b>	1200,0   1500,0
<b>Total width in mm</b>	465,0
<b>Depth in mm</b>	435,0
<b>Weight in kg</b>	52
<b>Delivery condition</b>	Supplied in blocks, stand elements / letterbox divided

## Drawing



## More images

