

Freestanding doorbell DESIGNER 529S ST-R Elegance I - RAL of your choice - Comelit AUDIO complete set

Product number 529SST-E-KSCSA-1



Product description

Freestanding doorbell DESIGNER 529S ST-R Elegance I - RAL of your choice - Comelit AUDIO complete set

This simple yet elegant doorbell pedestal has a built-in Comelit door intercom system including home station. The front plate made of stainless steel V2A 1.4301 in the colour of your choice is mounted on a 5 mm stainless steel frame and stands out slightly from the polished stainless steel stand elements.

Our products have a high quality, reliable functionality and their own identity. Made by Briefkasten Manufaktur.

- Door station made of 2 mm stainless steel V2A 1.4301.
- Front panel powder-coated in RAL colour of your choice.
- Installation box made of 2 mm stainless steel V2A 1.4301, 240 grain polished.
- Dimensions of the bell plate: W 160 mm x H 320 mm x D 8 mm.
- Installation box dimensions: W 130 mm x H 290 mm x D 50 mm
- 8-12V DC short-stroke bell push with LED ring illumination in white.
- Incl. Comelit audio loudspeaker 1621 with holder 1250U-Switch, 2-wire power supply 1210 and audio home station 6750W.
- The uprights are made of 42.4 mm stainless steel, polished. Invisible cable routing through the uprights.

Important information

Camera or intercom preparation

The intercom systems must be connected by an electrician. Please contact your trusted electrician for planning, fitting and installation.

Water protection

To achieve optimum water protection, the door station should be located under a canopy if possible.


Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	DESIGNER
Connection technology	2-wire
Number of bell push buttons	1 button
Functions	Intercom
Mounting type	Free-standing
Material	Stainless steel V2A 1.4301
House number	House number as laser engraving
Name labelling	Laser-engraved


Dimensions

Width in mm	130 160
Height in mm	290 320
Overall height in mm	1200,0 1500,0 1700,0
Total width in mm	290,0
Depth in mm	52,0
Weight in kg	4
Delivery condition	Supplied in blocks, floor units/door station divided

Drawing



Zur Verschraubung sind M10 Schwerlastdübel zu Verwenden, diese werden nicht mitgeliefert.



Fussplatte entfällt bei Montageart zum Einbetonieren

More images

