

2-piece stainless steel letterbox column designer model BIG - RAL 7016 anthracite grey - GIRA System 106 3-gang prepared | RAL 7016 anthracite grey, fine structure, matt

Product number 599B-R-2-V-GI106-7016



Product description

2-piece stainless steel letterbox pillar designer model BIG - RAL colour of your choice - GIRA System 106 3-gang prepared

High-quality manufactured 2-party letterbox pillar of the Briefkasten Manufaktur brand made of stainless steel, powder-coated in RAL colour. The Gira System 106 can be used seamlessly in a flush-mounted design. The preparation is intended for 3 GIRA 106 system modules. The modules can be flush-mounted using the simple mounting system (surface-mounted housing 5503910 required!).

- The letterbox module is made of 2mm stainless steel V2A 1.4301, powder-coated in RAL colour.
- Front mail removal door 320 mm x 300 mm, opens from top to bottom. Incl. 2 keys with key number.
- Mail slot from the front, dimensions: W 32 cm x H 6.3 cm, C4 landscape. Very large letters fit in here without creasing.
- **Now with built-in damping elements that allow the flap to close slowly and quietly.**
- The pedestals are fitted with modules that can be replaced at a later date.
- The fully welded pedestal is made of 2 mm stainless steel V2A 1.4301, powder-coated in RAL colour. The overall height is 1.70 metres.
- The pedestal is fitted with a VA base plate. This is 10 mm thick and is finished with a cover plate. See pictures.
- Invisible cable feed through the body possible.
- **WITHOUT GIRA system components!**

Important information

Camera or intercom preparation

The intercom systems must be connected by an electrician. Please contact your trusted electrician for planning, fitting and installation.

Water protection

To achieve optimum water protection for your mail, the letterbox or letterbox system should be located under a canopy if possible.

The mail is only protected from water if it is fully inserted in the box and the flap is closed. Mail that is not fully inserted allows moisture and dirt to penetrate the letterbox. It is therefore necessary to plan sufficiently dimensioned letterboxes for the upcoming requirements. In certain extreme weather conditions, water can still enter (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.

Product properties

Series	DESIGNER
Functions	Newspaper compartment
Functional box prepared for manufacturer	GIRA
Mounting type	Free-standing
Material	Stainless steel V2A 1.4301
Surface/colour	RAL 7016 anthracite grey
Number of letterboxes	with 2 letterboxes
Removal of mail	On the front
Boxes by volume	Large > 16 litres

Abmessungen

Height of single box in mm:	1220,0 1260,0
Width of single box in mm:	410,0 450,0
Capacity in litres:	31
Height of letterbox slot in mm:	63,0
Width of letter slot in mm:	320,0
Overall height in mm:	1700,0
Total width in mm:	490.0 (base plate 580.0)
Depth in mm:	150.0 (footplate 240.0)
Weight in kg:	72
Delivery condition:	Delivery is assembled
Shipping information:	Delivery by haulage company on a one-way pallet. Before delivery, the forwarding agent will contact you by telephone to arrange an appointment.

More images





