

Design wall light KEPLER SMALL 225x395 - 2-sided - RAL of your choice - house number - street or name | ? Colour of your choice

Product number 633R-HSNS



Product description

Design wall light KEPLER SMALL 225x395 - 2-sided - RAL of your choice - house number - street or name

High-quality wall light for outdoor and indoor use made of stainless steel, powder-coated. This luminaire with warm white light colour has a light outlet on both the top and bottom. The ideal complement for our letterboxes in the RAL colour of your choice. The sign is made of high-quality stainless steel V2A 1.4301. Design ELEGANCE is discreet lettering in polished stainless steel. By removing the powder coating, the polished stainless steel becomes visible and offers a high and elegant contrast.

- The wall light is made of cast aluminium, stainless steel and opal glass.
- Integrated LED module 2 x LED 5.8 W incl. converter, direct connection 230V, 50Hz, light colour white, 3000°K.
- Protective conductor connection.
- Protection class IP 44 - splash-proof.
- CE mark of conformity.
- Sign made of 2mm stainless steel V2A 1.4301, powder-coated in RAL colour.
- Dimensions: 225 x 395 x 2 mm (W x H x D).
- Street name/name lettering, laser-cut approx. 20-30 mm wide depending on the number of characters.
- House number, laser-cut approx. 70-100 mm high depending on the number of characters.
- With cast aluminium mounting plate for fixing the light by inserting the supplied dowels into the masonry.
- 2 fixing holes 10x6 mm in the wall plate, vertical spacing 60mm, horizontal spacing 100mm, cable entry with cable grommet for connection cable max. 1.5mm², connection terminal 2x2.5mm².
- Manufactured by Gebrüder Albert GmbH & Co KG Leuchtenfabrik - Quality Made in Germany (Fröndenberg).

Installation:

The national and international electronic safety regulations must be observed for the installation and operation of this luminaire. Loosen the wall plate from the luminaire fitting using the four hexagon socket set screws, pull the mains connection cable through the existing cable grommet and screw the wall plate to the mounting base. Make the protective conductor connection and electrical connection to the terminal. Fix the luminaire fitting over the wall plate and tighten it against the wall plate using the four hexagon socket set screws.

Product properties

Surface/colour	RAL 9005 deep black, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Protection type	IP44
Illuminants	2x LED, 5,8 Watt
Mounting type	Plug-in bolt, Screw
Series	KEPLER
Material	Aluminium AlMg3 W19, Stainless steel V2A 1.4301
House number	House number as laser engraving
Name labelling	Laser-engraved
Protection class	I

Dimensions

Width in mm	225
Height in mm	395
Total width in mm	225
Depth in mm	108,0

More images



