

# Stainless steel surface-mounted parcel box BASIC Plus 863X AP - Parcel compartment 550x370 in RAL of your choice | without letterbox

**Product number** 863X-A-PB-VAR



## Product description

### Stainless steel surface-mounted parcel box BASIC Plus 863X AP - Parcel compartment 550x370 in RAL colour of your choice

Receive parcels regardless of delivery company! Every parcel deliverer (e.g. DHL, DPD, TNT, GLS, Hermes, etc.) can use this parcel box. This parcel box is particularly suitable for large but few (usually 1 parcel per day) parcel consignments.

The parcel box is made of stainless steel V2A 1.4301, powder-coated in RAL colour. The very high-quality workmanship and the well thought-out concept make this parcel box our top seller. A rain drainage edge for optimum water protection and the innovative parcel lock characterise this parcel box. This parcel box is easy to clean and robust.

The letterbox systems in the BASIC Plus collection are characterised by the consistent use of V2A stainless steel. The result is a very long service life and sustainability. The design has been developed by our own engineers with a view to high flexibility and modularity, simple spare parts assembly and uncomplicated self-assembly. Spare parts are directly available for all BASIC Plus systems.

- Parcel box made entirely of stainless steel V2A 1.4301 powder-coated in RAL colour of your choice.
- Parcel compartment 370x550x385 mm (WD) incl. parcel lock with snap-in catch. Includes stainless steel laser labelling "PAKET".
- Parcel compartment volume: 77 litres, max. Parcel dimensions: 340 x 520 x 350 mm (WHT).
- Includes 5 keys with key number.
- Optional labelling house number approx. 80-100 mm high.
- Optional name labelling approx. 15-30 mm high.
- Close-fitting side panelling with integrated rain edge projecting forwards, roof plate folded over side plates made of 2 mm stainless steel V2A 1.4301, powder-coated.
- Delivery includes mounting material for wall mounting.

#### Important information:

The post is only protected against moisture and dirt when it is fully inserted and the flap is closed. Under certain extreme weather conditions, water can still get in (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.

## Product properties

<b>Surface/colour</b>	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), Brushed, RAL 9007 grey aluminium, RAL 9016 traffic white
<b>Series</b>	BASIC
<b>Functions</b>	Parcel compartment
<b>Boxes by volume</b>	Normal > 10 litres, Jumbo > 30 litres
<b>Material</b>	Stainless steel V2A 1.4301
<b>House number</b>	House number as laser engraving
<b>Name labelling</b>	Laser-engraved
<b>Removal of mail</b>	On the front
<b>Number of letterboxes</b>	with 1 letterbox
<b>Mounting type</b>	Surface-mounted

## Dimensions

<b>Height of single box in mm</b>	550,0
<b>Width of single box in mm</b>	370,0
<b>Capacity in litres</b>	77
<b>Height of letterbox slot in mm</b>	35,0
<b>Width of letter slot in mm</b>	325,0
<b>Height of letterbox in mm</b>	557,0
<b>Width of letterbox system in mm</b>	380,0
<b>Depth in mm</b>	390,0
<b>Weight in kg</b>	18
<b>Delivery condition</b>	Supplied in blocks, stand elements / letterbox divided

## More images



